


Third Quarter 2004
Vol. 2, No. 3



Quarterly Report
HIV/AIDS Surveillance Report
September 30, 2004

HIV/AIDS Surveillance
HIV/AIDS Program
Louisiana Office of Public Health
Louisiana Department of Health and Hospitals
234 Loyola Ave, 5th Floor
New Orleans, LA 70112
(504) 568-7474

Louisiana Office of Public Health
HIV/AIDS Surveillance Program

M. Beth Scalco, MSW MPA
HIV/AIDS Program Administrative Director

Amy Zapata, MPH
HIV/AIDS Surveillance Program Manager

Editor/Production:

Samuel Burgess
Debbie Wendell

Data Management and Analysis:

Debbie Wendell, MPH, *Coordinator*
Veronica Brown, *Data Manager*
Samuel Burgess, MA, *Epidemiologist*
Joseph Foxhood, *Information Systems Developer*
Sean Freese, BA, *Computer Technician*
William T. Robinson Ph.D., *Biostatistician*

Special Projects:

C. Greg Gaines, Ph.D., *Laboratory Surveillance Coordinator*
Jason Reed, MD, MPH, *Incidence Coordinator*
Danell Watkins, MSPH, *Evaluation Coordinator*

Field Epidemiologists:

Cheryl H. Wheeler, MPH
Field Epidemiologist Supervisor

James Hubbard, BS
Tanya Brown, RHIA
Courtney Alison, BS
Rosalie Ardoin, Ph.D.

Region 1
Region 2
Region 1, 3
Region 4

C. Greg Gaines, Ph.D.
Cheryl Edney, BS MT (ASCP)
Gayle Norris, MA
Gale Terry, LPN

Region 4
Region 5, 6
Region 7, 8
Region 2, 9
Perinatal

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Louisiana: Persons Living with AIDS	3
Louisiana: Persons Newly Detected with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Parish: Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Metro New Orleans: Persons Living with AIDS	8
Metro New Orleans: Persons Newly Detected with HIV/AIDS	9
Regional Map	10
Persons Newly-Detected with HIV/AIDS by Region	11
Region 1: Persons Living with HIV/AIDS	12
Region 1: Persons Living with AIDS	13
Region 1: Persons Newly Detected with HIV/AIDS	14
Region 2: Persons Living with HIV/AIDS	15
Region 2: Persons Living with AIDS	16
Region 2: Persons Newly Detected with HIV/AIDS	17
Region 3: Persons Living with HIV/AIDS	18
Region 3: Persons Living with AIDS	19
Region 3: Persons Newly Detected with HIV/AIDS	20
Region 4: Persons Living with HIV/AIDS	21
Region 4: Persons Living with AIDS	22
Region 4: Persons Newly Detected with HIV/AIDS	23
Region 5: Persons Living with HIV/AIDS	24
Region 5: Persons Living with AIDS	25
Region 5: Persons Newly Detected with HIV/AIDS	26
Region 6: Persons Living with HIV/AIDS	27
Region 6: Persons Living with AIDS	28
Region 6: Persons Newly Detected with HIV/AIDS	29
Region 7: Persons Living with HIV/AIDS	30
Region 7: Persons Living with AIDS	31
Region 7: Persons Newly Detected with HIV/AIDS	32
Region 8: Persons Living with HIV/AIDS	33
Region 8: Persons Living with AIDS	34
Region 8: Persons Newly Detected with HIV/AIDS	35
Region 9: Persons Living with HIV/AIDS	36
Region 9: Persons Living with AIDS	37
Region 9: Persons Newly Detected with HIV/AIDS	38

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS as of September 30, 2004.

- As of September 30, 2004, a cumulative total of 24,612* HIV/AIDS cases were detected in Louisiana, including 276 pediatric cases.
- The cumulative number of HIV/AIDS deaths reported to the Louisiana Office of Public Health through September 30, 2004 was 9,437, including 92 deaths among pediatric cases.
- A total of 15,933 persons were reported to be living with HIV/AIDS in Louisiana; of these individuals, 7,909 persons were diagnosed with AIDS.
- Among females living with HIV/AIDS, the predominant known mode of transmission was high-risk heterosexual contact. In males living with HIV/AIDS, the predominant mode of transmission remains men who have sex with men and injection drug use.
- Louisiana ranked 5th highest in AIDS case rates and 10th in the number of AIDS cases diagnosed in 2002, according to the CDC 2002 HIV/AIDS Surveillance Report (vol. 14).
- In 2002, Baton Rouge ranked 2nd out of 104 metropolitan areas in AIDS case rates; New Orleans ranked 7th.
- During 2003, 1,114 new HIV/AIDS cases were detected in Louisiana. Of these 2003 cases, 38% (n=425) of the cases occurred in Region 1 (New Orleans) and 23% (n=254) occurred in Region 2 (Baton Rouge).
- In 2003, 915 new AIDS cases were diagnosed in Louisiana. Of these 2003 cases, 38% (n=351) of the cases occurred in Region 1 (New Orleans) and 27% (n=245) occurred in Region 2 (Baton Rouge).
- The predominant known mode of transmission among persons newly-detected with HIV/AIDS in 2003 was men who have sex with men.
- The HIV detection rates for African Americans continue to be disproportionately high. By the end of 2003, 74% of newly-detected HIV cases and 73% of newly-diagnosed AIDS cases were among African Americans.

*Please note: The Louisiana Surveillance Program recently completed the Interstate Duplication Evaluation Project (IDEP), in collaboration with the Centers for Disease Control and Prevention (CDC) and all other states. The purpose of this project was to eliminate duplicate cases in the national statistics by assigning residency at diagnosis to only one state. As a result, most states, including Louisiana, had a decrease in the cumulative number of AIDS cases diagnosed in their state. Of the cumulative AIDS cases in Louisiana, 608 (3.8%) were duplicates and were reassigned to another state. On average across the U.S., there were 5% duplicate AIDS cases per state.

**Persons Living with HIV/AIDS
Third Quarter, 2004
Louisiana**

- 24612 cumulative cases have been detected in Louisiana, including 276 pediatric cases.
- 9437 cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including 92 pediatric deaths.
- 15933 persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: 8024
Persons living with AIDS: 7909

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	123	1%	Black, Non-Hispanic	6679	3695	10374	65%
13 - 19	154	1%	White, Non-Hispanic	4317	661	4978	31%
20 - 24	617	4%	Hispanic	417	72	489	3%
25 - 29	1428	9%	Asian/Pacific	33	7	40	<1%
30 - 34	1971	12%	American Indian	15	5	20	<1%
35 - 39	2744	17%	Unknown	20	5	25	<1%
40 - 44	3372	21%	Multi-race	5	2	7	<1%
45 - 49	2547	16%	Total	11486	4447	15933	100%
50 - 54	1554	10%					
55 - 59	785	5%					
60+	638	4%					
Total	15933	100%					

<u>Exposure Category</u>				
Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	4668	0	4668	45%
Injection drug use	1475	709	2184	21%
Men who have sex with men and inject drugs	913	0	913	9%
Heterosexual contact	703	1514	2217	22%
Transfusion/Hemophilia	82	57	139	1%
Confirmed Other	0	1	1	<1%
Perinatal	95	90	185	2%
Total	7936	2371	10307	100%
<i>No Identified Risk</i>	<i>3550</i>	<i>2076</i>	<i>5626</i>	

**Persons Living with AIDS
Third Quarter, 2004
Louisiana**

- 15907 cumulative AIDS cases have been diagnosed in Louisiana, including 136 pediatric cases.
- 7909 persons are currently living with AIDS in Louisiana.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	31	<1 %	Black, Non-Hispanic	3438	1528	4966	63 %
13 - 19	41	1 %	White, Non-Hispanic	2372	282	2654	34 %
20 - 24	120	2 %	Hispanic	218	39	257	3 %
25 - 29	419	5 %	Asian/Pacific	15	1	16	<1 %
30 - 34	804	10 %	American Indian	6	1	7	<1 %
35 - 39	1410	18 %	Unknown	3	1	4	<1 %
40 - 44	1809	23 %	Multi-race	3	2	5	<1 %
45 - 49	1487	19 %	Total	6055	1854	7909	100%
50 - 54	908	11 %					
55 - 59	508	6 %					
60+	372	5 %					
Total	7909	100 %					

Exposure Category

Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	2685	0	2685	47%
Injection drug use	876	370	1246	22%
Men who have sex with men and inject drugs	557	0	557	10%
Heterosexual contact	385	702	1087	19%
Transfusion/Hemophilia	49	38	87	2%
Perinatal	31	32	63	1%
Total	4583	1142	5725	100%
<i>No Identified Risk</i>	<i>1472</i>	<i>712</i>	<i>2184</i>	

**Persons Newly Detected with HIV/AIDS
Third Quarter, 2004
Louisiana**

HIV/AIDS CASES DETECTED January - December 2003

- 1114 persons were newly detected with HIV/AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	739	66 %	Black, Non-Hispanic	824	74 %
Women	375	34 %	White, Non-Hispanic	244	22 %
Total	1114	100 %	Hispanic	34	3 %
			Asian/Pacific Islander	6	1 %
			American Indian	3	<1 %
			Unknown	1	<1 %
			Multi-race	2	<1 %
			Total	1114	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	6	1 %	Men who have sex with men	260	49 %
13 - 24	215	19 %	Injection drug use	97	18 %
25 - 34	273	25 %	Men who have sex with men and inject drugs	18	3 %
35 - 44	350	31 %	Heterosexual contact	150	28 %
45+	270	24 %	Perinatal	6	1 %
Total	1114	100 %	Total	531	100 %
			<i>No Identified Risk</i>	<i>583</i>	

AIDS CASES DIAGNOSED January - December 2003

- 915 persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	664	73 %	Black, Non-Hispanic	667	73 %
Women	251	27 %	White, Non-Hispanic	216	24 %
Total	915	100 %	Hispanic	26	3 %
			Asian/Pacific Islander	3	<1 %
			American Indian	2	<1 %
			Multi-race	1	<1 %
			Total	915	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	2	<1 %	Men who have sex with men	210	41 %
13 - 24	63	7 %	Injection drug use	130	26 %
25 - 34	212	23 %	Men who have sex with men and inject drugs	49	10 %
35 - 44	360	39 %	Heterosexual contact	113	22 %
45+	278	30 %	Transfusion/Hemophilia	4	1 %
Total	915	100 %	Perinatal	3	1 %
			Total	509	100 %
			<i>No Identified Risk</i>	<i>406</i>	

**Persons Living with HIV/AIDS
Third Quarter 2004**

<u>Parish</u>	<u>Living</u>	<u>Parish</u>	<u>Living</u>
Acadia	66	Sabine	18
Allen	213	St. Bernard	117
Ascension	119	St. Charles	64
Assumption	21	St. Helena	9
Avoyelles	161	St. James	44
Beauregard	45	St. John the Baptist	65
Bienville	20	St. Landry	186
Bossier	131	St. Martin	73
Caddo	739	St. Mary	63
Calcasieu	518	St. Tammany	251
Caldwell	8	Tangipahoa	179
Cameron	4	Tensas	30
Catahoula	28	Terrebonne	143
Claiborne	77	Union	22
Concordia	32	Vermilion	69
De Soto	34	Vernon	57
East Baton Rouge	2555	Washington	165
East Carroll	31	Webster	38
East Feliciana	113	West Baton Rouge	83
Evangeline	41	West Carroll	11
Franklin	12	West Feliciana	156
Grant	29	Winn	74
Iberia	77		
Iberville	262		
Jackson	15		
Jefferson	1275		
Jefferson Davis	53		
La Salle	9		
Lafayette	512		
Lafourche	73		
Lincoln	48		
Livingston	102		
Madison	55		
Morehouse	42		
Natchitoches	59		
Orleans	5549		
Ouachita	428		
Plaquemines	28		
Pointe Coupee	41		
Rapides	331		
Red River	7		
Richland	53		
		Total	15933

**Persons Living with AIDS
Third Quarter 2004**

<u>Parish</u>	<u>Living</u>	<u>Parish</u>	<u>Living</u>
Acadia	37	Sabine	13
Allen	104	St. Bernard	58
Ascension	56	St. Charles	34
Assumption	11	St. Helena	4
Avoyelles	64	St. James	24
Beauregard	22	St. John the Baptist	40
Bienville	8	St. Landry	88
Bossier	63	St. Martin	33
Caddo	386	St. Mary	37
Calcasieu	265	St. Tammany	139
Caldwell	3	Tangipahoa	97
Cameron	2	Tensas	10
Catahoula	11	Terrebonne	70
Claiborne	33	Union	13
Concordia	19	Vermilion	35
De Soto	13	Vernon	27
East Baton Rouge	1205	Washington	93
East Carroll	18	Webster	21
East Feliciana	58	West Baton Rouge	46
Evangeline	20	West Carroll	7
Franklin	7	West Feliciana	91
Grant	16	Winn	29
Iberia	33		
Iberville	134		
Jackson	11		
Jefferson	626		
Jefferson Davis	27		
La Salle	5		
Lafayette	230		
Lafourche	44		
Lincoln	20		
Livingston	48		
Madison	25		
Morehouse	23		
Natchitoches	29		
Orleans	2793		
Ouachita	204		
Plaquemines	14		
Pointe Coupee	28		
Rapides	152		
Red River	4		
Richland	29		
		Total	7909

**Persons Living with HIV/AIDS
Third Quarter, 2004
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles

- 12458 cumulative cases have been detected in the New Orleans MSA, including 134 pediatric cases.
- 4933 cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including 47 pediatric deaths
- 7393 persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: 3665
Persons living with AIDS: 3728

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	51	1%	Black, Non-Hispanic	2814	1638	4452	60%
13 - 19	72	1%	White, Non-Hispanic	2384	240	2624	35%
20 - 24	235	3%	Hispanic	215	51	266	4%
25 - 29	588	8%	Asian/Pacific	21	5	26	<1%
30 - 34	876	12%	American Indian	6	1	7	<1%
35 - 39	1234	17%	Unknown	11	2	13	<1%
40 - 44	1525	21%	Multi-race	3	2	5	<1%
45 - 49	1234	17%	Total	5454	1939	7393	100%
50 - 54	796	11%					
55 - 59	425	6%					
60+	357	5%					
Total	7393	100%					

Exposure Category

Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	2568	0	2568	54%
Injection drug use	502	277	779	16%
Men who have sex with men and inject drugs	392	0	392	8%
Heterosexual contact	238	634	872	18%
Transfusion/Hemophilia	34	33	67	1%
Perinatal	38	45	83	2%
Total	3772	989	4761	100%
<i>No Identified Risk</i>	<i>1682</i>	<i>950</i>	<i>2632</i>	

**Persons Living with AIDS
Third Quarter, 2004
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles

- 8230 cumulative AIDS cases have been diagnosed in the New Orleans MSA, including 70 pediatric cases.
- 3728 persons are currently living with AIDS in the New Orleans MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	14	<1%	Black, Non-Hispanic	1456	709	2165	58%
13 - 19	23	1%	White, Non-Hispanic	1276	107	1383	37%
20 - 24	50	1%	Hispanic	129	31	160	4%
25 - 29	159	4%	Asian/Pacific	10	1	11	<1%
30 - 34	348	9%	American Indian	2	0	2	<1%
35 - 39	630	17%	Unknown	2	1	3	<1%
40 - 44	825	22%	Multi-race	2	2	4	<1%
45 - 49	726	19%	Total	2877	851	3728	100%
50 - 54	464	12%					
55 - 59	281	8%					
60+	208	6%					
Total	3728	100%					

<u>Exposure Category</u>				
Cases with a reported	Men	Women	Total	Percent
Men who have sex with men	1485	0	1485	56%
Injection drug use	277	149	426	16%
Men who have sex with men and inject drugs	238	0	238	9%
Heterosexual contact	136	313	449	17%
Transfusion/Hemophilia	20	22	42	2%
Perinatal	14	18	32	1%
Total	2170	502	2672	100%
<i>No Identified Risk</i>	<i>707</i>	<i>349</i>	<i>1056</i>	

**Persons Newly-Detected with HIV/AIDS
Third Quarter, 2004
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

HIV/AIDS CASES DETECTED January - December 2003

- 461 persons were newly-detected with HIV/AIDS in the New Orleans MSA.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	309	67 %	Black, Non-Hispanic	323	70 %
Women	152	33 %	White, Non-Hispanic	111	24 %
Total	461	100 %	Hispanic	21	5 %
			Asian/Pacific Islander	4	1 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	461	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	116	51 %
13 - 24	83	18 %	Injection drug use	38	17 %
25 - 34	118	26 %	Men who have sex with men and inject drugs	10	4 %
35 - 44	145	31 %	Heterosexual contact	61	27 %
45+	114	25 %	Perinatal	1	<1 %
Total	461	100 %	Total	226	100 %

No Identified Risk 235

AIDS CASES DIAGNOSED January - December 2003


- 377 persons were newly-diagnosed with AIDS in the New Orleans MSA.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	267	71 %	Black, Non-Hispanic	271	72 %
Women	110	29 %	White, Non-Hispanic	87	23 %
Total	377	100 %	Hispanic	16	4 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			Total	377	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	90	46 %
13 - 24	26	7 %	Injection drug use	39	20 %
25 - 34	88	23 %	Men who have sex with men and inject drugs	17	9 %
35 - 44	148	39 %	Heterosexual contact	45	23 %
45+	114	30 %	Transfusion/Hemophilia	4	2 %
Total	377	100 %	Perinatal	1	1 %
			Total	196	100 %

No Identified Risk 181

Geographic Guide to Louisiana Public Health Regions and Metro Statistical Areas (MSA)



Public Health Regions

Urban Parishes (MSAs)

I New Orleans	Jefferson Orleans	Plaquemines St. Bernard	VI Alexandria	Avoyelles Catahoula Concordia Grant	Lasalle Rapides Vernon Winn	New Orleans	Jefferson Orleans St. Tammany St. John the Baptist	Plaquemines St. Bernard St. James St. Charles
II Baton Rouge	Ascension Iberville E. Baton Rouge W. Baton Rouge	Pointe Coupee East Feliciana West Feliciana	VII Shreveport	Bienville Bossier Caddo Claiborne Desoto	Natchitoches Red River Sabine Webster	Baton Rouge	E. Baton Rouge W. Baton Rouge	Ascension Livingston
III Houma	Assumption Lafourche St. Charles St. John the Baptist	St. James St. Mary Terrebonne	VIII Monroe	Caldwell East Carroll West Carroll Franklin Jackson Lincoln Union	Madison Morehouse Ouachita Richland Tensas Union	Houma/Thibodaux	Lafourche	Terrebonne
IV Lafayette	Acadia Evangeline Iberia Lafayette	St. Landry St. Martin Vermilion	IX Hammond/Slidell	Livingstone St. Helena St. Tammany	Tangipahoa Washington	Lafayette	Acadia St. Martin	Lafayette St. Landry
V Lake Charles	Allen Beauregard Jefferson Davis	Calcasieu Cameron				Shreveport	Bossier Caddo	Webster
						Lake Charles	Calcasieu	
						Alexandria	Rapides	
						Monroe	Ouachita	

**Persons Newly-Detected with HIV/AIDS by Region
Third Quarter, 2004
Louisiana**

HIV/AIDS CASES DETECTED January - December 2003

Region	No. HIV/AIDS Cases n (%)	HIV/AIDS Case Rate per 100,000
Region 1	425 (38%)	40
Region 1*	104 (10%)	19
Region 2	254(23%)	42
Region 3	36 (3%)	9
Region 4	102 (9%)	17
Region 5	41 (4%)	14
Region 6	53 (4%)	17
Region 7	84 (8%)	16
Region 8	65 (6%)	18
Region 9	54 (5%)	12
Total	1114 (100%)	24

AIDS CASES DIAGNOSED January - December 2003

Region	No. AIDS Cases n (%)	AIDS Case Rate per 100,000
Region 1	351 (38%)	34
Region 1*	78 (9%)	14
Region 2	245 (27%)	40
Region 3	34 (4%)	9
Region 4	61 (7%)	11
Region 5	47 (5%)	16
Region 6	38 (4%)	13
Region 7	49 (5%)	9
Region 8	50 (6%)	14
Region 9	39 (4%)	9
Total	915 (100%)	20

*Region 1: excluding Orleans Parish (Includes Jefferson, Plaquemines, and St. Bernard Parishes)

Persons Living with HIV/AIDS
Third Quarter, 2004
Region 1: New Orleans Region

- 11794 cumulative cases have been detected in Region 1, including 124 pediatric cases.
- 4662 cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including 44 pediatric deaths.
- 6969 persons are currently living with HIV/AIDS in Region 1
 Persons living with HIV: 3478
 Persons living with AIDS: 3491

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	47	1%	Black, Non-Hispanic	2700	1572	4272	61%
13 - 19	67	1%	White, Non-Hispanic	2185	203	2388	34%
20 - 24	224	3%	Hispanic	207	51	258	4%
25 - 29	561	8%	Asian/Pacific	21	5	26	<1%
30 - 34	820	12%	American Indian	6	1	7	<1%
35 - 39	1158	17%	Unknown	11	2	13	<1%
40 - 44	1427	20%	Multi-race	3	2	5	<1%
45 - 49	1166	17%	Total	5133	1836	6969	100%
50 - 54	757	11%					
55 - 59	406	6%					
60+	336	5%					
Total	6969	100%					

Exposure Category

Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	2402	0	2402	54%
Injection drug use	476	265	741	17%
Men who have sex with men and inject drugs	376	0	376	8%
Heterosexual contact	222	591	813	18%
Transfusion/Hemophilia	29	30	59	1%
Perinatal	32	43	75	2%
Total	3537	929	4466	100%
<i>No Identified Risk</i>	<i>1596</i>	<i>907</i>	<i>2503</i>	

**Persons Living with AIDS
Third Quarter, 2004
Region 1: New Orleans Region**

- 7764 cumulative AIDS cases have been diagnosed in Region 1, including 62 pediatric cases.
- 3491 persons are currently living with AIDS in Region 1.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	11	<1%	Black, Non-Hispanic	1386	673	2059	59%
13 - 19	20	1%	White, Non-Hispanic	1171	87	1258	36%
20 - 24	48	1%	Hispanic	123	31	154	4%
25 - 29	147	4%	Asian/Pacific	10	1	11	<1%
30 - 34	325	9%	American Indian	2	0	2	<1%
35 - 39	585	17%	Unknown	2	1	3	<1%
40 - 44	772	22%	Multi-race	2	2	4	<1%
45 - 49	685	20%	Total	2696	795	3491	100%
50 - 54	439	13%					
55 - 59	267	8%					
60+	192	5%					
Total	3491	100%					

<u>Exposure Category</u>				
Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	1395	0	1395	56%
Injection drug use	261	144	405	16%
Men who have sex with men and inject drugs	228	0	228	9%
Heterosexual contact	124	287	411	16%
Transfusion/Hemophilia	17	19	36	1%
Perinatal	10	16	26	1%
Total	2035	466	2501	100%
<i>No Identified Risk</i>	661	329	990	

Persons Newly-Detected with HIV/AIDS
Third Quarter, 2004
Region 1: New Orleans Region

HIV/AIDS CASES DETECTED January - December 2003

- 425 persons were newly-detected with HIV/AIDS in Region 1.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	283	67 %	Black, Non-Hispanic	309	73 %
Women	142	33 %	White, Non-Hispanic	90	21 %
Total	425	100 %	Hispanic	20	5 %
			Asian/Pacific Islander	4	1 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	425	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	104	51 %
13 - 24	76	18 %	Injection drug use	35	17 %
25 - 34	113	27 %	Men who have sex with men and inject drugs	10	5 %
35 - 44	130	31 %	Heterosexual contact	55	27 %
45+	105	25 %	Perinatal	1	<1 %
Total	425	100 %	Total	205	100 %
			<i>No Identified Risk</i>	<i>220</i>	

AIDS CASES DIAGNOSED January - December 2003

- 351 persons were newly-diagnosed with AIDS in Region 1.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	248	71 %	Black, Non-Hispanic	261	74 %
Women	103	29 %	White, Non-Hispanic	72	21 %
Total	351	100 %	Hispanic	15	4 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			Total	351	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	83	46 %
13 - 24	24	7 %	Injection drug use	34	19 %
25 - 34	83	24 %	Men who have sex with men and inject drugs	16	9 %
35 - 44	139	40 %	Heterosexual contact	42	23 %
45+	104	30 %	Transfusion/Hemophilia	4	2 %
Total	351	100 %	Perinatal	1	1 %
			Total	180	100 %
			<i>No Identified Risk</i>	<i>171</i>	

**Persons Living with HIV/AIDS
Third Quarter, 2004
Region 2: Baton Rouge Region**

- 4983 cumulative cases have been detected in Region 2, including 49 pediatric cases.
- 1823 cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including 12 pediatric deaths.
- 3329 persons are currently living with HIV/AIDS in Region 2
 - Persons living with HIV: 1711
 - Persons living with AIDS: 1618

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	30	1%	Black, Non-Hispanic	1673	1058	2731	82%
13 - 19	32	1%	White, Non-Hispanic	464	97	561	17%
20 - 24	169	5%	Hispanic	21	7	28	1%
25 - 29	349	10%	Asian/Pacific	5	1	6	<1%
30 - 34	441	13%	American Indian	1	0	1	<1%
35 - 39	521	16%	Unknown	2	0	2	<1%
40 - 44	697	21%	Total	2166	1163	3329	100%
45 - 49	505	15%					
50 - 54	312	9%					
55 - 59	155	5%					
60+	118	4%					
Total	3329	100%					

Exposure Category

Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	600	0	600	29%
Injection drug use	492	239	731	35%
Men who have sex with men and inject drugs	167	0	167	8%
Heterosexual contact	157	353	510	25%
Transfusion/Hemophilia	14	13	27	1%
Perinatal	18	18	36	2%
Total	1448	623	2071	100%
<i>No Identified Risk</i>	718	540	1258	

**Persons Living with AIDS
Third Quarter, 2004
Region 2: Baton Rouge Region**

- 3164 cumulative AIDS cases have been diagnosed in Region 2, including 20 pediatric cases.
- 1618 persons are currently living with AIDS in Region 2.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	7	<1%	Black, Non-Hispanic	882	414	1296	80%
13 - 19	8	<1%	White, Non-Hispanic	265	40	305	19%
20 - 24	32	2%	Hispanic	11	3	14	1%
25 - 29	112	7%	Asian/Pacific	3	0	3	<1%
30 - 34	186	11%	Total	1161	457	1618	100%
35 - 39	261	16%					
40 - 44	377	23%					
45 - 49	285	18%					
50 - 54	180	11%					
55 - 59	101	6%					
60+	69	4%					
Total	1618	100%					

<u>Exposure Category</u>				
Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	348	0	348	30%
Injection drug use	323	123	446	38%
Men who have sex with men and inject drugs	105	0	105	9%
Heterosexual contact	81	153	234	20%
Transfusion/Hemophilia	9	8	17	1%
Perinatal	5	4	9	1%
Total	871	288	1159	100%
<i>No Identified Risk</i>	290	169	459	

**Persons Newly-Detected with HIV/AIDS
Third Quarter, 2004
Region 2: Baton Rouge Region**

HIV/AIDS CASES DETECTED January - December 2003

- 254 persons were newly-detected with HIV/AIDS in Region 2.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	156	61 %	Black, Non-Hispanic	219	86 %
Women	98	39 %	White, Non-Hispanic	32	13 %
Total	254	100 %	Hispanic	2	1 %
			Asian/Pacific Islander	1	<1 %
			Total	254	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	47	19 %	Men who have sex with men	46	43 %
25 - 34	59	23 %	Injection drug use	33	31 %
35 - 44	78	31 %	Men who have sex with men and inject drugs	3	3 %
45+	70	28 %	Heterosexual contact	26	24 %
Total	254	100 %	Total	108	100 %
			<i>No Identified Risk</i>	<i>146</i>	

AIDS CASES DIAGNOSED January - December 2003

- 245 persons were newly-diagnosed with AIDS in Region 2.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	172	70 %	Black, Non-Hispanic	212	87 %
Women	73	30 %	White, Non-Hispanic	30	12 %
Total	245	100 %	Hispanic	2	1 %
			Asian/Pacific Islander	1	<1 %
			Total	245	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	20	8 %	Men who have sex with men	42	27 %
25 - 34	57	23 %	Injection drug use	64	42 %
35 - 44	87	36 %	Men who have sex with men and inject drugs	13	8 %
45+	81	33 %	Heterosexual contact	33	22 %
Total	245	100 %	Perinatal	1	1 %
			Total	153	100 %
			<i>No Identified Risk</i>	<i>92</i>	

**Persons Living with HIV/AIDS
Third Quarter, 2004
Region 3: Houma Region**

- 733 cumulative cases have been detected in Region 3, including 15 pediatric cases.
- 334 cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including 6 pediatric deaths.
- 473 persons are currently living with HIV/AIDS in Region 3

Persons living with HIV: 213

Persons living with AIDS: 260

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	6	1%	Black, Non-Hispanic	142	100	242	51%
13 - 19	5	1%	White, Non-Hispanic	177	39	216	46%
20 - 24	22	5%	Hispanic	7	2	9	2%
25 - 29	37	8%	American Indian	2	2	4	1%
30 - 34	63	13%	Unknown	1	0	1	<1%
35 - 39	85	18%	Multi-race	1	0	1	<1%
40 - 44	103	22%	Total	330	143	473	100%
45 - 49	72	15%					
50 - 54	45	10%					
55 - 59	19	4%					
60+	16	3%					
Total	473	100%					

Exposure Category

Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	160	0	160	48%
Injection drug use	40	24	64	19%
Men who have sex with men and inject drugs	14	0	14	4%
Heterosexual contact	22	57	79	24%
Transfusion/Hemophilia	2	2	4	1%
Perinatal	9	4	13	4%
Total	247	87	334	100%
<i>No Identified Risk</i>	83	56	139	

**Persons Living with AIDS
Third Quarter, 2004
Region 3: Houma Region**

- 518 cumulative AIDS cases have been diagnosed in Region 3, including 9 pediatric cases.
- 260 persons are currently living with AIDS in Region 3.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	1%	Black, Non-Hispanic	84	54	138	53%
13 - 19	3	1%	White, Non-Hispanic	92	19	111	43%
20 - 24	5	2%	Hispanic	6	1	7	3%
25 - 29	14	5%	American Indian	2	1	3	1%
30 - 34	25	10%	Multi-race	1	0	1	<1%
35 - 39	53	20%	Total	185	75	260	100%
40 - 44	54	21%					
45 - 49	50	19%					
50 - 54	27	10%					
55 - 59	16	6%					
60+	10	4%					
Total	260	100%					

<u>Exposure Category</u>				
Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	91	0	91	48%
Injection drug use	25	15	40	21%
Men who have sex with men and inject drugs	6	0	6	3%
Heterosexual contact	15	26	41	22%
Transfusion/Hemophilia	2	2	4	2%
Perinatal	3	3	6	3%
Total	142	46	188	100%
<i>No Identified Risk</i>	43	29	72	

**Persons Newly-Detected with HIV/AIDS
Third Quarter, 2004
Region 3: Houma Region**

HIV/AIDS CASES DETECTED January - December 2003

- 36 persons were newly-detected with HIV/AIDS in Region 3.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	21	58 %	Black, Non-Hispanic	22	61 %
Women	15	42 %	White, Non-Hispanic	13	36 %
Total	36	100 %	American Indian	1	3 %
			Total	36	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	10	28 %	Men who have sex with men	8	38 %
25 - 34	9	25 %	Injection drug use	2	10 %
35 - 44	9	25 %	Heterosexual contact	11	52 %
45+	8	22 %	Total	21	100 %
Total	36	100 %	<i>No Identified Risk</i>	<i>15</i>	

AIDS CASES DIAGNOSED January - December 2003

- 34 persons were newly-diagnosed with AIDS in Region 3.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	24	71 %	Black, Non-Hispanic	19	56 %
Women	10	29 %	White, Non-Hispanic	13	38 %
Total	34	100 %	Hispanic	1	3 %
			American Indian	1	3 %
			Total	34	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	3	9 %	Men who have sex with men	10	48 %
25 - 34	7	21 %	Injection drug use	5	24 %
35 - 44	15	44 %	Men who have sex with men and inject drugs	2	10 %
45+	9	26 %	Heterosexual contact	4	19 %
Total	34	100 %	Total	21	100 %
			<i>No Identified Risk</i>	<i>13</i>	

**Persons Living with HIV/AIDS
Third Quarter, 2004
Region 4: Lafayette Region**

- 1517 cumulative cases have been detected in Region 4, including 18 pediatric cases.
- 608 cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including 8 pediatric deaths.
- 1024 persons are currently living with HIV/AIDS in Region 4
Persons living with HIV: 548
Persons living with AIDS: 476

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	7	1%	Black, Non-Hispanic	383	173	556	54%
13 - 19	8	1%	White, Non-Hispanic	344	75	419	41%
20 - 24	38	4%	Hispanic	39	3	42	4%
25 - 29	78	8%	Asian/Pacific	1	1	2	<1%
30 - 34	113	11%	American Indian	1	0	1	<1%
35 - 39	205	20%	Unknown	3	0	3	<1%
40 - 44	256	25%	Multi-race	1	0	1	<1%
45 - 49	151	15%	Total	772	252	1024	100%
50 - 54	98	10%					
55 - 59	43	4%					
60+	27	3%					
Total	1024	100%					

Exposure Category

Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	266	0	266	48%
Injection drug use	80	27	107	19%
Men who have sex with men and inject drugs	38	0	38	7%
Heterosexual contact	40	88	128	23%
Transfusion/Hemophilia	4	1	5	1%
Confirmed Other	0	1	1	<1%
Perinatal	7	5	12	2%
Total	435	122	557	100%
<i>No Identified Risk</i>	<i>337</i>	<i>130</i>	<i>467</i>	

**Persons Living with AIDS
Third Quarter, 2004
Region 4: Lafayette Region**

- 928 cumulative AIDS cases have been diagnosed in Region 4, including 9 pediatric cases.
- 476 persons are currently living with AIDS in Region 4.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1%	Black, Non-Hispanic	181	63	244	51%
13 - 19	3	1%	White, Non-Hispanic	196	23	219	46%
20 - 24	6	1%	Hispanic	13	0	13	3%
25 - 29	20	4%	Total	390	86	476	100%
30 - 34	45	9%					
35 - 39	93	20%					
40 - 44	123	26%					
45 - 49	88	18%					
50 - 54	61	13%					
55 - 59	22	5%					
60+	14	3%					
Total	476	100%					

<u>Exposure Category</u>				
Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	167	0	167	53%
Injection drug use	52	10	62	20%
Men who have sex with men and inject drugs	20	0	20	6%
Heterosexual contact	24	38	62	20%
Transfusion/Hemophilia	2	0	2	1%
Perinatal	2	2	4	1%
Total	267	50	317	100%
<i>No Identified Risk</i>	123	36	159	

**Persons Newly-Detected with HIV/AIDS
Third Quarter, 2004
Region 4: Lafayette Region**

HIV/AIDS CASES DETECTED January - December 2003

- 102 persons were newly-detected with HIV/AIDS in Region 4.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	77	75 %	Black, Non-Hispanic	61	60 %
Women	25	25 %	White, Non-Hispanic	36	35 %
Total	102	100 %	Hispanic	3	3 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	102	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	24	52 %
13 - 24	23	23 %	Injection drug use	7	15 %
25 - 34	18	18 %	Men who have sex with men and inject drugs	1	2 %
35 - 44	40	39 %	Heterosexual contact	13	28 %
45+	20	20 %	Perinatal	1	2 %
Total	102	100 %	Total	46	100 %
			<i>No Identified Risk</i>	56	

AIDS CASES DIAGNOSED January - December 2003

- 61 persons were newly-diagnosed with AIDS in Region 4.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	51	84 %	Black, Non-Hispanic	32	52 %
Women	10	16 %	White, Non-Hispanic	29	48 %
Total	61	100 %	Total	61	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	20	67 %
13 - 24	4	7 %	Injection drug use	4	13 %
25 - 34	13	21 %	Men who have sex with men and inject drugs	1	3 %
35 - 44	28	46 %	Heterosexual contact	4	13 %
45+	15	25 %	Perinatal	1	3 %
Total	61	100 %	Total	30	100 %
			<i>No Identified Risk</i>	31	

**Persons Living with HIV/AIDS
Third Quarter, 2004
Region 5: Lake Charles Region**

- 976 cumulative cases have been detected in Region 5, including 8 pediatric cases.
- 336 cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including 1 pediatric death.
- 833 persons are currently living with HIV/AIDS in Region 5
Persons living with HIV: 413
Persons living with AIDS: 420

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	8	1%	Black, Non-Hispanic	361	117	478	57%
13 - 19	7	1%	White, Non-Hispanic	241	39	280	34%
20 - 24	30	4%	Hispanic	67	0	67	8%
25 - 29	76	9%	Asian/Pacific	5	0	5	1%
30 - 34	106	13%	American Indian	2	0	2	<1%
35 - 39	167	20%	Unknown	1	0	1	<1%
40 - 44	185	22%	Total	677	156	833	100%
45 - 49	145	17%					
50 - 54	60	7%					
55 - 59	26	3%					
60+	23	3%					
Total	833	100%					

Exposure Category

Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	249	0	249	41%
Injection drug use	118	27	145	24%
Men who have sex with men and inject drugs	70	0	70	12%
Heterosexual contact	66	66	132	22%
Transfusion/Hemophilia	3	1	4	1%
Perinatal	3	5	8	1%
Total	509	99	608	100%
<i>No Identified Risk</i>	168	57	225	

**Persons Living with AIDS
Third Quarter, 2004
Region 5: Lake Charles Region**

- 628 cumulative AIDS cases have been diagnosed in Region 5, including 4 pediatric cases.
- 420 persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	1%	Black, Non-Hispanic	185	45	230	55%
13 - 19	1	<1%	White, Non-Hispanic	141	16	157	37%
20 - 24	5	1%	Hispanic	31	0	31	7%
25 - 29	19	5%	Asian/Pacific	2	0	2	<1%
30 - 34	44	10%	Total	359	61	420	100%
35 - 39	95	23%					
40 - 44	105	25%					
45 - 49	84	20%					
50 - 54	34	8%					
55 - 59	16	4%					
60+	14	3%					
Total	420	100%					

<u>Exposure Category</u>				
Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	143	0	143	43%
Injection drug use	67	17	84	25%
Men who have sex with men and inject drugs	46	0	46	14%
Heterosexual contact	33	23	56	17%
Transfusion/Hemophilia	1	1	2	1%
Perinatal	2	1	3	1%
Total	292	42	334	100%
<i>No Identified Risk</i>	<i>67</i>	<i>19</i>	<i>86</i>	

**Persons Newly-Detected with HIV/AIDS
Third Quarter, 2004
Region 5: Lake Charles Region**

HIV/AIDS CASES DETECTED January - December 2003

- 41 persons were newly-detected with HIV/AIDS in Region 5.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	25	61 %	Black, Non-Hispanic	29	71 %
Women	16	39 %	White, Non-Hispanic	9	22 %
Total	41	100 %	Hispanic	2	5 %
			American Indian	1	2 %
			Total	41	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	11	42 %
13 - 24	13	32 %	Injection drug use	2	8 %
25 - 34	10	24 %	Heterosexual contact	12	46 %
35 - 44	11	27 %	Perinatal	1	4 %
45+	6	15 %	Total	26	100 %
Total	41	100 %	<i>No Identified Risk</i>	<i>15</i>	

AIDS CASES DIAGNOSED January - December 2003

- 47 persons were newly-diagnosed with AIDS in Region 5.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	37	79 %	Black, Non-Hispanic	29	62 %
Women	10	21 %	White, Non-Hispanic	15	32 %
Total	47	100 %	Hispanic	3	6 %
			Total	47	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	3	6 %	Men who have sex with men	9	31 %
25 - 34	10	21 %	Injection drug use	8	28 %
35 - 44	19	40 %	Men who have sex with men and inject drugs	4	14 %
45+	15	32 %	Heterosexual contact	8	28 %
Total	47	100 %	Total	29	100 %
			<i>No Identified Risk</i>	<i>18</i>	

Persons Living with HIV/AIDS
Third Quarter, 2004
Region 6: Alexandria Region

- 1027 cumulative cases have been detected in Region 6, including 13 pediatric cases.
- 319 cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including 4 pediatric deaths.
- 721 persons are currently living with HIV/AIDS in Region 6
 Persons living with HIV: 398
 Persons living with AIDS: 323

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	1%	Black, Non-Hispanic	336	142	478	66%
13 - 19	5	1%	White, Non-Hispanic	157	39	196	27%
20 - 24	36	5%	Hispanic	42	2	44	6%
25 - 29	78	11%	American Indian	0	1	1	<1%
30 - 34	95	13%	Unknown	1	1	2	<1%
35 - 39	137	19%	Total	536	185	721	100%
40 - 44	137	19%					
45 - 49	118	16%					
50 - 54	57	8%					
55 - 59	33	5%					
60+	21	3%					
Total	721	100%					

Exposure Category

Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	174	0	174	37%
Injection drug use	79	29	108	23%
Men who have sex with men and inject drugs	53	0	53	11%
Heterosexual contact	51	74	125	26%
Transfusion/Hemophilia	7	0	7	1%
Perinatal	5	2	7	1%
Total	369	105	474	100%
<i>No Identified Risk</i>	<i>167</i>	<i>80</i>	<i>247</i>	

**Persons Living with AIDS
Third Quarter, 2004
Region 6: Alexandria Region**

- 601 cumulative AIDS cases have been diagnosed in Region 6, including 4 pediatric cases.
- 323 persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
20 - 24	5	2%	Black, Non-Hispanic	141	49	190	59%
25 - 29	22	7%	White, Non-Hispanic	93	22	115	36%
30 - 34	35	11%	Hispanic	16	1	17	5%
35 - 39	65	20%	Unknown	1	0	1	<1%
40 - 44	70	22%	Total	251	72	323	100%
45 - 49	63	20%					
50 - 54	31	10%					
55 - 59	18	6%					
60+	14	4%					
Total	323	100%					

<u>Exposure Category</u>				
Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	90	0	90	39%
Injection drug use	35	8	43	19%
Men who have sex with men and inject drugs	29	0	29	13%
Heterosexual contact	24	35	59	26%
Transfusion/Hemophilia	5	0	5	2%
Perinatal	1	1	2	1%
Total	184	44	228	100%
<i>No Identified Risk</i>	67	28	95	

**Persons Newly-Detected with HIV/AIDS
Third Quarter, 2004
Region 6: Alexandria Region**

HIV/AIDS CASES DETECTED January - December 2003

- 53 persons were newly-detected with HIV/AIDS in Region 6.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	39	74 %	Black, Non-Hispanic	40	75 %
Women	14	26 %	White, Non-Hispanic	10	19 %
Total	53	100 %	Hispanic	3	6 %
			Total	53	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	8	33 %
13 - 24	9	17 %	Injection drug use	6	25 %
25 - 34	13	25 %	Men who have sex with men and inject drugs	3	12 %
35 - 44	19	36 %	Heterosexual contact	6	25 %
45+	11	21 %	Perinatal	1	4 %
Total	53	100 %	Total	24	100 %
			<i>No Identified Risk</i>	29	

AIDS CASES DIAGNOSED January - December 2003

- 38 persons were newly-diagnosed with AIDS in Region 6.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	28	74 %	Black, Non-Hispanic	26	68 %
Women	10	26 %	White, Non-Hispanic	9	24 %
Total	38	100 %	Hispanic	3	8 %
			Total	38	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	1	3 %	Men who have sex with men	9	45 %
25 - 34	8	21 %	Injection drug use	4	20 %
35 - 44	17	45 %	Men who have sex with men and inject drugs	1	5 %
45+	12	32 %	Heterosexual contact	6	30 %
Total	38	100 %	Total	20	100 %
			<i>No Identified Risk</i>	18	

**Persons Living with HIV/AIDS
Third Quarter, 2004
Region 7: Shreveport Region**

- 1487 cumulative cases have been detected in Region 7, including 25 pediatric cases.
- 571 cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including 10 pediatric deaths.
- 1123 persons are currently living with HIV/AIDS in Region 7
Persons living with HIV: 553
Persons living with AIDS: 570

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	9	1%	Black, Non-Hispanic	495	219	714	64%
13 - 19	14	1%	White, Non-Hispanic	326	66	392	35%
20 - 24	55	5%	Hispanic	10	3	13	1%
25 - 29	111	10%	Asian/Pacific	1	0	1	<1%
30 - 34	142	13%	American Indian	2	0	2	<1%
35 - 39	209	19%	Unknown	0	1	1	<1%
40 - 44	253	23%	Total	834	289	1123	100%
45 - 49	145	13%					
50 - 54	98	9%					
55 - 59	49	4%					
60+	38	3%					
Total	1123	100%					

Exposure Category

Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	387	0	387	47%
Injection drug use	70	48	118	14%
Men who have sex with men and inject drugs	107	0	107	13%
Heterosexual contact	71	118	189	23%
Transfusion/Hemophilia	11	4	15	2%
Perinatal	7	6	13	2%
Total	653	176	829	100%
<i>No Identified Risk</i>	181	113	294	

**Persons Living with AIDS
Third Quarter, 2004
Region 7: Shreveport Region**

- 956 cumulative AIDS cases have been diagnosed in Region 7, including 17 pediatric cases.
- 570 persons are currently living with AIDS in Region 7.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	1%	Black, Non-Hispanic	263	102	365	64%
13 - 19	3	1%	White, Non-Hispanic	176	24	200	35%
20 - 24	10	2%	Hispanic	3	1	4	1%
25 - 29	34	6%	American Indian	1	0	1	<1%
30 - 34	61	11%	Total	443	127	570	100%
35 - 39	119	21%					
40 - 44	137	24%					
45 - 49	87	15%					
50 - 54	61	11%					
55 - 59	33	6%					
60+	20	4%					
Total	570	100%					

<u>Exposure Category</u>				
Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	203	0	203	45%
Injection drug use	41	23	64	14%
Men who have sex with men and inject drugs	64	0	64	14%
Heterosexual contact	45	59	104	23%
Transfusion/Hemophilia	6	4	10	2%
Perinatal	3	4	7	2%
Total	362	90	452	100%
<i>No Identified Risk</i>	81	37	118	

**Persons Newly-Detected with HIV/AIDS
Third Quarter, 2004
Region 7: Shreveport Region**

HIV/AIDS CASES DETECTED January - December 2003

- 84 persons were newly-detected with HIV/AIDS in Region 7.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	55	65 %	Black, Non-Hispanic	64	76 %
Women	29	35 %	White, Non-Hispanic	20	24 %
Total	84	100 %	Total	84	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	22	26 %	Men who have sex with men	29	72 %
25 - 34	23	27 %	Injection drug use	1	2 %
35 - 44	26	31 %	Men who have sex with men and inject drugs	1	2 %
45+	13	15 %	Heterosexual contact	9	22 %
Total	84	100 %	Total	40	100 %
			<i>No Identified Risk</i>	<i>44</i>	

AIDS CASES DIAGNOSED January - December 2003

- 49 persons were newly-diagnosed with AIDS in Region 7.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	42	86 %	Black, Non-Hispanic	35	71 %
Women	7	14 %	White, Non-Hispanic	14	29 %
Total	49	100 %	Total	49	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	5	10 %	Men who have sex with men	14	48 %
25 - 34	11	22 %	Injection drug use	2	7 %
35 - 44	23	47 %	Men who have sex with men and inject drugs	8	28 %
45+	10	20 %	Heterosexual contact	5	17 %
Total	49	100 %	Total	29	100 %
			<i>No Identified Risk</i>	<i>20</i>	

**Persons Living with HIV/AIDS
Third Quarter, 2004
Region 8: Monroe Region**

- 1125 cumulative cases have been detected in Region 8, including 13 pediatric cases.
- 404 cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including 4 pediatric deaths.
- 755 persons are currently living with HIV/AIDS in Region 8
Persons living with HIV: 385
Persons living with AIDS: 370

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	8	1%	Black, Non-Hispanic	344	221	565	75%
13 - 19	10	1%	White, Non-Hispanic	139	37	176	23%
20 - 24	28	4%	Hispanic	6	4	10	1%
25 - 29	88	12%	American Indian	1	1	2	<1%
30 - 34	108	14%	Unknown	1	1	2	<1%
35 - 39	131	17%	Total	491	264	755	100%
40 - 44	145	19%					
45 - 49	120	16%					
50 - 54	55	7%					
55 - 59	32	4%					
60+	30	4%					
Total	755	100%					

Exposure Category

Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	196	0	196	42%
Injection drug use	44	18	62	13%
Men who have sex with men and inject drugs	31	0	31	7%
Heterosexual contact	49	112	161	34%
Transfusion/Hemophilia	3	4	7	1%
Perinatal	5	5	10	2%
Total	328	139	467	100%
<i>No Identified Risk</i>	163	125	288	

**Persons Living with AIDS
Third Quarter, 2004
Region 8: Monroe Region**

- 696 cumulative AIDS cases have been diagnosed in Region 8, including 6 pediatric cases.
- 370 persons are currently living with AIDS in Region 8.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1%	Black, Non-Hispanic	178	88	266	72%
20 - 24	5	1%	White, Non-Hispanic	80	17	97	26%
25 - 29	32	9%	Hispanic	4	2	6	2%
30 - 34	48	13%	American Indian	1	0	1	<1%
35 - 39	66	18%	Total	263	107	370	100%
40 - 44	74	20%					
45 - 49	71	19%					
50 - 54	34	9%					
55 - 59	20	5%					
60+	19	5%					
Total	370	100%					

<u>Exposure Category</u>				
Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	111	0	111	45%
Injection drug use	25	12	37	15%
Men who have sex with men and inject drugs	19	0	19	8%
Heterosexual contact	27	49	76	31%
Transfusion/Hemophilia	2	3	5	2%
Perinatal	1	0	1	<1%
Total	185	64	249	100%
<i>No Identified Risk</i>	78	43	121	

**Persons Newly-Detected with HIV/AIDS
Third Quarter, 2004
Region 8: Monroe Region**

HIV/AIDS CASES DETECTED January - December 2003

- 65 persons were newly-detected with HIV/AIDS in Region 8.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	43	66 %	Black, Non-Hispanic	53	82 %
Women	22	34 %	White, Non-Hispanic	9	14 %
Total	65	100 %	Hispanic	2	3 %
			American Indian	1	2 %
			Total	65	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	2	3 %	Men who have sex with men	14	42 %
13 - 24	9	14 %	Injection drug use	3	9 %
25 - 34	16	25 %	Heterosexual contact	14	42 %
35 - 44	16	25 %	Perinatal	2	6 %
45+	22	34 %	Total	33	100 %
Total	65	100 %	<i>No Identified Risk</i>	32	

AIDS CASES DIAGNOSED January - December 2003

- 50 persons were newly diagnosed with AIDS in Region 8.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	34	68 %	Black, Non-Hispanic	38	76 %
Women	16	32 %	White, Non-Hispanic	9	18 %
Total	50	100 %	Hispanic	2	4 %
			American Indian	1	2 %
			Total	50	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	2	4 %	Men who have sex with men	11	50 %
25 - 34	11	22 %	Injection drug use	3	14 %
35 - 44	15	30 %	Heterosexual contact	8	36 %
45+	22	44 %	Total	50	100 %
Total	22	100 %	<i>No Identified Risk</i>	28	

**Persons Living with HIV/AIDS
Third Quarter, 2004
Region 9: Hammond/Slidell Region**

- 970 cumulative cases have been detected in Region 9, including 11 pediatric cases.
- 380 cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including 3 pediatric deaths.
- 706 persons are currently living with HIV/AIDS in Region 9
Persons living with HIV: 325
Persons living with AIDS: 381

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	1%	Black, Non-Hispanic	245	93	338	48%
13 - 19	6	1%	White, Non-Hispanic	284	66	350	50%
20 - 24	15	2%	Hispanic	18	0	18	3%
25 - 29	50	7%	Total	547	159	706	100%
30 - 34	83	12%					
35 - 39	131	19%					
40 - 44	169	24%					
45 - 49	125	18%					
50 - 54	72	10%					
55 - 59	22	3%					
60+	29	4%					
Total	706	100%					

Exposure Category

Cases with a reported	Men	Women	Total	Percent
Men who have sex with men	234	0	234	47%
Injection drug use	76	32	108	22%
Men who have sex with men and inject drugs	57	0	57	11%
Heterosexual contact	25	55	80	16%
Transfusion/Hemophilia	9	2	11	2%
Perinatal	9	2	11	2%
Total	410	91	501	100%
<i>No Identified Risk</i>	137	68	205	

**Persons Living with AIDS
Third Quarter, 2004
Region 9: Hammond/Slidell Region**

- 652 cumulative AIDS cases have been diagnosed in Region 9, including 5 pediatric cases.
- 381 persons are currently living with AIDS in Region 9.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current	Cases	Percent		Men	Women	Total	Percent
13 - 19	3	1%	Black, Non-Hispanic	138	40	178	47%
20 - 24	4	1%	White, Non-Hispanic	158	34	192	50%
25 - 29	19	5%	Hispanic	11	0	11	3%
30 - 34	35	9%	Total	307	74	381	100%
35 - 39	73	19%					
40 - 44	97	25%					
45 - 49	74	19%					
50 - 54	41	11%					
55 - 59	15	4%					
60+	20	5%					
Total	381	100%					

<u>Exposure Category</u>				
Cases with a reported risk	Men	Women	Total	Percent
Men who have sex with men	137	0	137	46%
Injection drug use	47	18	65	22%
Men who have sex with men and inject drugs	40	0	40	13%
Heterosexual contact	12	32	44	15%
Transfusion/Hemophilia	5	1	6	2%
Perinatal	4	1	5	2%
Total	245	52	297	100%
<i>No Identified Risk</i>	62	22	84	

**Persons Newly-Detected with HIV/AIDS
Third Quarter, 2004
Region 9: Hammond/Slidell Region**

HIV/AIDS CASES DETECTED January - December 2003

- 54 persons were newly-detected with HIV/AIDS in Region 9.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	40	74 %	Black, Non-Hispanic	27	50 %
Women	14	26 %	White, Non-Hispanic	25	46 %
Total	54	100 %	Hispanic	2	4 %
			Total	54	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	6	11 %	Men who have sex with men	16	57 %
25 - 34	12	22 %	Injection drug use	8	29 %
35 - 44	21	39 %	Heterosexual contact	4	14 %
45+	15	28 %	Total	28	100 %
Total	54	100 %	<i>No Identified Risk</i>	<i>26</i>	

AIDS CASES DIAGNOSED January - December 2003

- 39 persons were newly-diagnosed with AIDS in Region 9.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	28	72 %	Black, Non-Hispanic	14	36 %
Women	11	28 %	White, Non-Hispanic	25	64 %
Total	39	100 %	Total	39	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	1	3 %	Men who have sex with men	12	48 %
25 - 34	12	31 %	Injection drug use	6	24 %
35 - 44	16	41 %	Men who have sex with men and inject drugs	4	16 %
45+	10	26 %	Heterosexual contact	3	12 %
Total	39	100 %	Total	25	100 %
			<i>No Identified Risk</i>	<i>14</i>	