


Second Quarter 2006

Vol. 4, No. 2



HIV/AIDS Surveillance Program

M. Beth Scalco, LCSW MPA

HIV/AIDS Program Administrative Director

Amy Zapata, MPH

HIV/AIDS Surveillance Program Manager

Editor/Production:

William T. Robinson

Debbie Wendell

Data Management and Analysis:

Debbie Wendell, MPH, *Coordinator*

Tania Bechtel, *Data Manager*

Joanna Eavey, MSPH, *Epidemiologist*

Joseph Foxhood, *Information Systems Developer*

George Stephens, *Computer Technician*

Josette Russell, *Data Manager*

Special Projects:

William T. Robinson, Ph.D., *Biostatistician*

C. Greg Gaines, Ph.D., *Laboratory Surveillance Coordinator*

Field Epidemiologists:

James Hubbard

Region 1

Connie Gordon

Regions 1, 3

Tanya Brown, RHIA

Region 2

Cheryl Edney, BS MT(ASCP)

Regions 4, 5, 6

Gayle Norris, MA

Regions 7, 8

Gale Terry, LPN

Regions 2, 9

 TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Region 1: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 2: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 3: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 4: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 5: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 6: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 7: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 8: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 9: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Supplemental Reports	
Region 1 – excluding Orleans Parish: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39
Region 1 – Orleans Parish Only: Persons Living with HIV/AIDS	40
Persons Living with AIDS	41
Persons newly diagnosed with HIV/AIDS	42

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of June 30, 2006¹.

- As of June 30, 2006, a cumulative total of 26,007 HIV/AIDS cases have been reported in Louisiana, including 289 pediatric cases.
- The cumulative number of deaths, among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through June 30, 2006 is 10,815, including 96 deaths among pediatric cases.
- A total of 15,000 persons are living with HIV/AIDS in Louisiana; of these individuals, 7,640 persons (51%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by injection drug use.
- Nationally, Louisiana ranked 5th highest in AIDS case rates and 11th in the number of AIDS cases diagnosed in 2004, according to the CDC 2004 HIV/AIDS Surveillance Report (vol. 16).
- In 2004, Baton Rouge ranked 3rd out of 104 metropolitan areas in AIDS case rates; New Orleans ranked 6th.
- During 2005, 1,019 new HIV cases were diagnosed in Louisiana. Of these cases, 32% (n=326) of the cases occurred in Region 1 (New Orleans) and 27% (n=281) occurred in Region 2 (Baton Rouge).
- In 2005, 800 new AIDS cases were diagnosed in Louisiana. Of these cases, 32% (n=256) of the cases occurred in Region 1 (New Orleans) and 26% (n=204) occurred in Region 2 (Baton Rouge).
- The predominant known mode of transmission among persons newly diagnosed with HIV in Louisiana during 2005 was men who have sex with men (55%).
- HIV continues to disproportionately affect African Americans in Louisiana. At the end of 2005, 72% of newly diagnosed HIV cases and 75% of newly diagnosed AIDS cases were among African Americans.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Since that time OPH-HAP has estimated that approximately 4,500 PLWH/A (64% of July 2005 PLWH/A) may now be living within the metropolitan area, over 2,600 PLWH/A may be residing within Orleans Parish (50% of July 2005 PLWH/A).

Persons Living with HIV/AIDS

Louisiana

- 26007 cumulative cases have been detected in Louisiana, including 289 pediatric cases.
- 10815 cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including 96 pediatric deaths.
- 15000 persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: 7360
Persons living with AIDS: 7640

Age Category

Current Age	Cases	Percent
0 - 12	103	1 %
13 - 19	119	1 %
20 - 24	565	4 %
25 - 29	1286	9 %
30 - 34	1707	11 %
35 - 39	2254	15 %
40 - 44	3010	20 %
45 - 49	2575	17 %
50 - 54	1756	12 %
55 - 59	888	6 %
60+	737	5 %
Total	15000	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	6334	3557	9891	66 %
White, Non-Hispanic	3872	664	4536	30 %
Hispanic	387	68	455	3 %
Asian/Pacific Islander	36	10	46	<1 %
American Indian	15	6	21	<1 %
Unknown	25	8	33	<1 %
Multi-race	12	6	18	<1 %
Total	10681	4319	15000	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	4412	0	4412	46 %
Injection drug use	1244	642	1886	20 %
Men who have sex with men and inject drugs	826	0	826	9 %
Heterosexual contact	706	1492	2198	23 %
Transfusion/Hemophilia	82	49	131	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	91	78	169	2 %
Total	7361	2262	9623	100 %
<i>No Identified Risk</i>	<i>3317</i>	<i>2052</i>	<i>5369</i>	

**Persons Living with AIDS
Louisiana**

- 17222 cumulative AIDS cases have been diagnosed in Louisiana, including 131 pediatric cases.
- 7640 persons are currently living with AIDS in Louisiana.

Age Category

Current Age	Cases	Percent
0 - 12	17	<1 %
13 - 19	38	<1 %
20 - 24	141	2 %
25 - 29	383	5 %
30 - 34	693	9 %
35 - 39	1112	15 %
40 - 44	1687	22 %
45 - 49	1522	20 %
50 - 54	1048	14 %
55 - 59	551	7 %
60+	448	6 %
Total	7640	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black,	3344	1556	4900	64 %
White,	2176	292	2468	32 %
Hispanic	192	35	227	3 %
Asian/Pacific	18	4	22	<1 %
American Indian	7	1	8	<1 %
Unknown	3	1	4	<1 %
Multi-race	9	2	11	<1 %
Total	5749	1891	7640	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2506	0	2506	46 %
Injection drug use	772	342	1114	21 %
Men who have sex with men and inject drugs	532	0	532	10 %
Heterosexual contact	387	735	1122	21 %
Transfusion/Hemophilia	53	32	85	2 %
Perinatal	27	24	51	1 %
Total	4277	1133	5410	100 %
<i>No Identified Risk</i>	<i>1471</i>	<i>757</i>	<i>2228</i>	

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2005

• 1019 persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	668	66 %	Black, Non-Hispanic	735	72 %
Women	351	34 %	White, Non-Hispanic	239	23 %
Total	1019	100 %	Hispanic	27	3 %
			Asian/Pacific Islander	2	<1 %
			American Indian	1	<1 %
			Unknown	8	1 %
			Multi-race	7	1 %
			Total	1019	100 %

Age at Detection	Cases	Percent
0 - 12	12	1 %
13 - 24	193	19 %
25 - 34	278	27 %
35 - 44	267	26 %
45+	269	26 %
Total	1019	100 %

Cases with a reported risk:	Cases	Percent
Men who have sex with men	269	55 %
Injection drug use	57	12 %
Men who have sex with men and inject drugs	19	4 %
Heterosexual contact	134	27 %
Perinatal	12	2 %
Total	491	100 %
<i>No Identified Risk</i>	528	

AIDS CASES DIAGNOSED January - December 2005

• 800 persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	539	67 %	Black, Non-Hispanic	602	75 %
Women	261	33 %	White, Non-Hispanic	177	22 %
Total	800	100 %	Hispanic	16	2 %
			Asian/Pacific Islander	2	<1 %
			Multi-race	3	<1 %
			Total	800	100 %

Age at Diagnosis	Cases	Percent
0 - 12	1	<1 %
13 - 24	69	9 %
25 - 34	204	26 %
35 - 44	273	34 %
45+	253	32 %
Total	800	100 %

Cases with a reported risk:	Cases	Percent
Men who have sex with men	189	42 %
Injection drug use	87	19 %
Men who have sex with men and inject drugs	34	8 %
Heterosexual contact	136	30 %
Transfusion/Hemophilia	3	1 %
Perinatal	1	<1 %
Total	450	100 %
<i>No Identified Risk</i>	350	

Persons Living with HIV/AIDS

Second Quarter 2006

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	72	Sabine	17
Allen	213	St. Bernard	90
Ascension	141	St. Charles	67
Assumption	23	St. Helena	12
Avoyelles	164	St. James	47
Beauregard	39	St. John the Baptist	89
Bienville	19	St. Landry	200
Bossier	135	St. Martin	82
Caddo	787	St. Mary	59
Calcasieu	510	St. Tammany	267
Caldwell	16	Tangipahoa	199
Cameron	3	Tensas	38
Catahoula	26	Terrebonne	152
Claiborne	83	Union	33
Concordia	32	Vermilion	78
De Soto	41	Vernon	46
East Baton Rouge	2731	Washington	150
East Carroll	38	Webster	37
East Feliciana	133	West Baton Rouge	83
Evangeline	47	West Carroll	9
Franklin	13	West Feliciana	147
Grant	27	Winn	86
Iberia	88		
Iberville	256		
Jackson	15		
Jefferson	1249		
Jefferson Davis	51		
La Salle	10		
Lafayette	561		
Lafourche	100		
Lincoln	48		
Livingston	127		
Madison	49		
Morehouse	43		
Natchitoches	60		
Orleans	4138		
Ouachita	442		
Plaquemines	31		
Pointe Coupee	42		
Rapides	357		
Red River	8		
Richland	44		
		Total	15000

Persons Living with AIDS

Second Quarter 2006

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	42	Sabine	12
Allen	103	St. Bernard	42
Ascension	74	St. Charles	36
Assumption	15	St. Helena	4
Avoyelles	84	St. James	24
Beauregard	19	St. John the Baptist	58
Bienville	7	St. Landry	113
Bossier	74	St. Martin	44
Caddo	445	St. Mary	37
Calcasieu	284	St. Tammany	154
Caldwell	6	Tangipahoa	104
Cameron	1	Tensas	15
Catahoula	13	Terrebonne	79
Claiborne	45	Union	20
Concordia	17	Vermilion	46
De Soto	19	Vernon	24
East Baton Rouge	1325	Washington	88
East Carroll	22	Webster	21
East Feliciana	73	West Baton Rouge	46
Evangeline	22	West Carroll	6
Franklin	7	West Feliciana	84
Grant	16	Winn	41
Iberia	44		
Iberville	144		
Jackson	11		
Jefferson	626		
Jefferson Davis	26		
La Salle	6		
Lafayette	279		
Lafourche	66		
Lincoln	23		
Livingston	63		
Madison	22		
Morehouse	21		
Natchitoches	33		
Orleans	2003		
Ouachita	222		
Plaquemines	16		
Pointe Coupee	28		
Rapides	165		
Red River	6		
Richland	25		
		Total	7640

**Persons Living with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

- 12954 cumulative cases have been detected in the New Orleans MSA, including 141 pediatric cases.
- 5525 cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including 49 pediatric deaths
- 5978 persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: 3019
Persons living with AIDS: 2959

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	30	1 %	Black, Non-Hispanic	2231	1249	3480	58 %
13 - 19	42	1 %	White, Non-Hispanic	1990	211	2201	37 %
20 - 24	178	3 %	Hispanic	188	45	233	4 %
25 - 29	416	7 %	Asian/Pacific Islander	22	7	29	<1 %
30 - 34	644	11 %	American Indian	5	1	6	<1 %
35 - 39	892	15 %	Unknown	14	5	19	<1 %
40 - 44	1166	20 %	Multi-race	7	3	10	<1 %
45 - 49	1086	18 %	Total	4457	1521	5978	100 %
50 - 54	743	12 %					
55 - 59	416	7 %					
60+	365	6 %					
Total	5978	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2142	0	2142	56 %
Injection drug use	365	210	575	15 %
Men who have sex with men and inject drugs	305	0	305	8 %
Heterosexual contact	210	492	702	18 %
Transfusion/Hemophilia	36	21	57	1 %
Perinatal	28	28	56	1 %
Total	3086	751	3837	100 %
<i>No Identified Risk</i>	<i>1371</i>	<i>769</i>	<i>2140</i>	

Persons Living with AIDS**Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

- 8726 cumulative AIDS cases have been diagnosed in the New Orleans MSA, including 66 pediatric cases.
- 2959 persons are currently living with AIDS in the New Orleans MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	8	<1 %	Black, Non-Hispanic	1103	528	1631	55 %
13 - 19	15	1 %	White, Non-Hispanic	1079	91	1170	40 %
20 - 24	36	1 %	Hispanic	107	25	132	4 %
25 - 29	112	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	234	8 %	American Indian	2	0	2	<1 %
35 - 39	399	13 %	Unknown	3	1	4	<1 %
40 - 44	635	21 %	Multi-race	4	2	6	<1 %
45 - 49	628	21 %	Total	2309	650	2959	100 %
50 - 54	428	14 %					
55 - 59	251	8 %					
60+	213	7 %					
Total	2959	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1190	0	1190	57 %
Injection drug use	205	105	310	15 %
Men who have sex with men and inject drugs	188	0	188	9 %
Heterosexual contact	118	242	360	17 %
Transfusion/Hemophilia	25	12	37	2 %
Perinatal	10	10	20	1 %
Total	1736	369	2105	100 %
<i>No Identified Risk</i>	<i>573</i>	<i>280</i>	<i>853</i>	

Persons Newly Diagnosed with HIV/AIDS**Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

HIV CASES DIAGNOSED January - December 2005

- 361 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	233	65 %	Black, Non-Hispanic	238	66 %
Women	128	35 %	White, Non-Hispanic	93	26 %
Total	361	100 %	Hispanic	18	5 %
			Asian/Pacific Islander	2	1 %
			Unknown	5	1 %
			Multi-race	5	1 %
			Total	361	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	4	1 %	Men who have sex with men	94	54 %
13 - 24	68	19 %	Injection drug use	19	11 %
25 - 34	87	24 %	Men who have sex with men and inject drugs	11	6 %
35 - 44	108	30 %	Heterosexual contact	46	26 %
45+	94	26 %	Perinatal	4	2 %
Total	361	100 %	Total	174	100 %
			<i>No Identified Risk</i>	<i>187</i>	

AIDS CASES DIAGNOSED January - December 2005

- 280 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	195	70 %	Black, Non-Hispanic	189	68 %
Women	85	30 %	White, Non-Hispanic	77	28 %
Total	280	100 %	Hispanic	9	3 %
			Asian/Pacific Islander	2	1 %
			Multi-race	3	1 %
			Total	280	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	22	8 %	Men who have sex with men	79	48 %
25 - 34	66	24 %	Injection drug use	27	16 %
35 - 44	110	39 %	Men who have sex with men and inject drugs	16	10 %
45+	82	29 %	Heterosexual contact	41	25 %
Total	280	100 %	Transfusion/Hemophilia	2	1 %
			Total	165	100 %
			<i>No Identified Risk</i>	<i>115</i>	

Persons Living with HIV/AIDS**Region 1: New Orleans Region**

- 12245 cumulative cases have been detected in Region 1, including 127 pediatric cases.
- 5219 cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including 45 pediatric deaths.
- 5508 persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: 2821
Persons living with AIDS: 2687

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	25	<1 %	Black, Non-Hispanic	2102	1167	3269	59 %
13 - 19	35	1 %	White, Non-Hispanic	1789	165	1954	35 %
20 - 24	165	3 %	Hispanic	179	45	224	4 %
25 - 29	385	7 %	Asian/Pacific Islander	21	7	28	1 %
30 - 34	603	11 %	American Indian	5	1	6	<1 %
35 - 39	804	15 %	Unknown	14	5	19	<1 %
40 - 44	1073	19 %	Multi-race	5	3	8	<1 %
45 - 49	1007	18 %	Total	4115	1393	5508	100 %
50 - 54	688	12 %					
55 - 59	389	7 %					
60+	334	6 %					
Total	5508	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1970	0	1970	56 %
Injection drug use	335	196	531	15 %
Men who have sex with men and inject drugs	291	0	291	8 %
Heterosexual contact	184	444	628	18 %
Transfusion/Hemophilia	31	18	49	1 %
Perinatal	21	22	43	1 %
Total	2832	680	3512	100 %
<i>No Identified Risk</i>	1283	713	1996	

Persons Living with AIDS
Region 1: New Orleans Region

- 8227 cumulative AIDS cases have been diagnosed in Region 1, including 59 pediatric cases.
- 2687 persons are currently living with AIDS in Region 1.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	7	<1 %	Black, Non-Hispanic	1023	485	1508	56 %
13 - 19	9	<1 %	White, Non-Hispanic	961	68	1029	38 %
20 - 24	35	1 %	Hispanic	101	25	126	5 %
25 - 29	98	4 %	Asian/Pacific Islander	10	3	13	<1 %
30 - 34	215	8 %	American Indian	2	0	2	<1 %
35 - 39	348	13 %	Unknown	3	1	4	<1 %
40 - 44	580	22 %	Multi-race	3	2	5	<1 %
45 - 49	575	21 %	TOTAL	2103	584	2687	100 %
50 - 54	398	15 %					
55 - 59	228	8 %					
60+	194	7 %					
Total	2687	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1094	0	1094	57 %
Injection drug use	185	98	283	15 %
Men who have sex with men and inject drugs	176	0	176	9 %
Heterosexual contact	98	212	310	16 %
Transfusion/Hemophilia	21	9	30	2 %
Perinatal	6	7	13	1 %
Total	1580	326	1906	100 %
<i>No Identified Risk</i>	523	258	781	

Persons Newly Diagnosed with HIV/AIDS**Region 1: New Orleans Region****HIV CASES DIAGNOSED January - December 2005**

- 326 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	213	65 %	Black, Non-Hispanic	218	67 %
Women	113	35 %	White, Non-Hispanic	80	25 %
Total	326	100 %	Hispanic	17	5 %
			Asian/Pacific Islander	2	1 %
			Unknown	5	2 %
			Multi-race	4	1 %
			Total	326	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	1 %	Men who have sex with men	84	54 %
13 - 24	64	20 %	Injection drug use	17	11 %
25 - 34	73	22 %	Men who have sex with men and inject drugs	11	7 %
35 - 44	101	31 %	Heterosexual contact	43	27 %
45+	86	26 %	Perinatal	2	1 %
Total	326	100 %	Total	157	100 %
			<i>No Identified Risk</i>	<i>169</i>	

AIDS CASES DIAGNOSED January - December 2005

- 256 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	175	68 %	Black, Non-Hispanic	177	69 %
Women	81	32 %	White, Non-Hispanic	67	26 %
Total	256	100 %	Hispanic	8	3 %
			Asian/Pacific Islander	2	1 %
			Multi-race	2	1 %
			Total	256	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	21	8 %	Men who have sex with men	76	50 %
25 - 34	57	22 %	Injection drug use	20	13 %
35 - 44	103	40 %	Men who have sex with men and inject drugs	14	9 %
45+	75	29 %	Heterosexual contact	39	26 %
Total	256	100 %	Transfusion/Hemophilia	2	1 %
			Total	151	100 %
			<i>No Identified Risk</i>	<i>105</i>	

Persons Living with HIV/AIDS**Region 2: Baton Rouge Region**

- 5422 cumulative cases have been detected in Region 2, including 58 pediatric cases.
- 2194 cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including 14 pediatric deaths.
- 3533 persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: 1759
Persons living with AIDS: 1774

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	33	1 %	Black, Non-Hispanic	1747	1197	2944	83 %
13 - 19	33	1 %	White, Non-Hispanic	440	100	540	15 %
20 - 24	171	5 %	Hispanic	28	8	36	1 %
25 - 29	359	10 %	Asian/Pacific Islander	5	1	6	<1 %
30 - 34	459	13 %	American Indian	1	0	1	<1 %
35 - 39	481	14 %	Unknown	4	0	4	<1 %
40 - 44	673	19 %	Multi-race	2	0	2	<1 %
45 - 49	546	15 %	Total	2227	1306	3533	100 %
50 - 54	411	12 %					
55 - 59	200	6 %					
60+	167	5 %					
Total	3533	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	628	0	628	30 %
Injection drug use	440	229	669	32 %
Men who have sex with men and inject drugs	159	0	159	8 %
Heterosexual contact	183	401	584	28 %
Transfusion/Hemophilia	13	14	27	1 %
Perinatal	26	20	46	2 %
Total	1449	664	2113	100 %
<i>No Identified Risk</i>	<i>778</i>	<i>641</i>	<i>1419</i>	

Persons Living with AIDS
Region 2: Baton Rouge Region

- 3533 cumulative AIDS cases have been diagnosed in Region 2, including 20 pediatric cases.
- 1774 persons are currently living with AIDS in Region 2.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	941	532	1473	83 %
13 - 19	11	1 %	White, Non-Hispanic	241	37	278	16 %
20 - 24	46	3 %	Hispanic	14	4	18	1 %
25 - 29	116	7 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	196	11 %	Multi-race	2	0	2	<1 %
35 - 39	237	13 %	TOTAL	1201	573	1774	100 %
40 - 44	372	21 %					
45 - 49	318	18 %					
50 - 54	247	14 %					
55 - 59	123	7 %					
60+	107	6 %					
Total	1774	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	347	0	347	29 %
Injection drug use	298	122	420	35 %
Men who have sex with men and inject drugs	105	0	105	9 %
Heterosexual contact	91	200	291	24 %
Transfusion/Hemophilia	7	10	17	1 %
Perinatal	5	3	8	1 %
Total	853	335	1188	100 %
<i>No Identified Risk</i>	348	238	586	

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region****HIV CASES DIAGNOSED January - December 2005**

- 281 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	167	59 %	Black, Non-Hispanic	237	84 %
Women	114	41 %	White, Non-Hispanic	40	14 %
Total	281	100 %	Hispanic	1	<1 %
			Unknown	2	1 %
			Multi-race	1	<1 %
			Total	281	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	6	2 %	Men who have sex with men	54	45 %
13 - 24	60	21 %	Injection drug use	18	15 %
25 - 34	87	31 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	55	20 %	Heterosexual contact	40	33 %
45+	73	26 %	Perinatal	6	5 %
Total	281	100 %	Total	121	100 %
			<i>No Identified Risk</i>	<i>160</i>	

AIDS CASES DIAGNOSED January - December 2005

- 204 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	112	55 %	Black, Non-Hispanic	190	93 %
Women	92	45 %	White, Non-Hispanic	13	6 %
Total	204	100 %	Hispanic	1	<1 %
			Total	204	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	24	12 %	Men who have sex with men	27	27 %
25 - 34	57	28 %	Injection drug use	25	25 %
35 - 44	59	29 %	Men who have sex with men and inject drugs	5	5 %
45+	64	31 %	Heterosexual contact	43	43 %
Total	204	100 %	Total	100	100 %
			<i>No Identified Risk</i>	<i>104</i>	

Persons Living with HIV/AIDS**Region 3: Houma Region**

- 797 cumulative cases have been detected in Region 3, including 16 pediatric cases.
- 381 cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including 7 pediatric deaths.
- 537 persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: 222
Persons living with AIDS: 315

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	1 %	Black, Non-Hispanic	171	117	288	54 %
13 - 19	7	1 %	White, Non-Hispanic	187	47	234	44 %
20 - 24	21	4 %	Hispanic	5	2	7	1 %
25 - 29	51	9 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	53	10 %	American Indian	3	2	5	1 %
35 - 39	95	18 %	Unknown	1	0	1	<1 %
40 - 44	97	18 %	Total	369	168	537	100 %
45 - 49	89	17 %					
50 - 54	64	12 %					
55 - 59	28	5 %					
60+	27	5 %					
Total	537	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	186	0	186	50 %
Injection drug use	38	22	60	16 %
Men who have sex with men and inject drugs	13	0	13	3 %
Heterosexual contact	29	66	95	25 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	7	7	14	4 %
Total	275	98	373	100 %
<i>No Identified Risk</i>	<i>94</i>	<i>69</i>	<i>163</i>	

Persons Living with AIDS**Region 3: Houma Region**

- 575 cumulative AIDS cases have been diagnosed in Region 3, including 8 pediatric cases.
- 315 persons are currently living with AIDS in Region 3.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	108	68	176	56 %
13 - 19	5	2 %	White, Non-Hispanic	104	25	129	41 %
20 - 24	4	1 %	Hispanic	4	1	5	2 %
25 - 29	24	8 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	18	6 %	American Indian	3	1	4	1 %
35 - 39	57	18 %	TOTAL	220	95	315	100 %
40 - 44	57	18 %					
45 - 49	61	19 %					
50 - 54	41	13 %					
55 - 59	26	8 %					
60+	21	7 %					
Total	315	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	117	0	117	51 %
Injection drug use	24	13	37	16 %
Men who have sex with men and inject drugs	6	0	6	3 %
Heterosexual contact	22	36	58	25 %
Transfusion/Hemophilia	1	3	4	2 %
Perinatal	3	4	7	3 %
Total	173	56	229	100 %
<i>No Identified Risk</i>	47	38	85	

Persons Newly Diagnosed with HIV/AIDS**Region 3: Houma Region****HIV CASES DIAGNOSED January - December 2005**

- 40 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	23	57 %	Black, Non-Hispanic	20	50 %
Women	17	42 %	White, Non-Hispanic	19	48 %
Total	40	100 %	Hispanic	1	2 %
			Total	40	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	10	53 %
13 - 24	7	18 %	Injection drug use	2	11 %
25 - 34	14	35 %	Men who have sex with men and inject drugs	1	5 %
35 - 44	10	25 %	Heterosexual contact	5	26 %
45+	8	20 %	Perinatal	1	5 %
Total	40	100 %	Total	19	100 %
			<i>No Identified Risk</i>	<i>21</i>	

AIDS CASES DIAGNOSED January - December 2005

- 29 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	19	66 %	Black, Non-Hispanic	10	34 %
Women	10	34 %	White, Non-Hispanic	18	62 %
Total	29	100 %	Hispanic	1	3 %
			Total	29	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	1	3 %	Men who have sex with men	7	41 %
25 - 34	7	24 %	Injection drug use	2	12 %
35 - 44	7	24 %	Men who have sex with men and inject drugs	1	6 %
45+	14	48 %	Heterosexual contact	7	41 %
Total	29	100 %	Total	17	100 %
			<i>No Identified Risk</i>	<i>12</i>	

Persons Living with HIV/AIDS

Region 4: Lafayette Region

- 1589 cumulative cases have been detected in Region 4, including 15 pediatric cases.
- 681 cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including 8 pediatric deaths.
- 1128 persons are currently living with HIV/AIDS in Region 4.
 Persons living with HIV: 538
 Persons living with AIDS: 590

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	8	1 %	Black, Non-Hispanic	427	207	634	56 %
13 - 19	4	<1 %	White, Non-Hispanic	367	75	442	39 %
20 - 24	43	4 %	Hispanic	40	3	43	4 %
25 - 29	85	8 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	101	9 %	American Indian	1	1	2	<1 %
35 - 39	166	15 %	Unknown	2	0	2	<1 %
40 - 44	284	25 %	Multi-race	1	2	3	<1 %
45 - 49	203	18 %	Total	839	289	1128	100 %
50 - 54	144	13 %					
55 - 59	51	5 %					
60+	39	3 %					
Total	1128	100 %					

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	336	0	336	50 %
Injection drug use	72	33	105	16 %
Men who have sex with men and inject drugs	44	0	44	7 %
Heterosexual contact	46	123	169	25 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	7	6	13	2 %
Total	510	164	674	100 %
<i>No Identified Risk</i>	329	125	454	

Persons Living with AIDS
Region 4: Lafayette Region

- 1019 cumulative AIDS cases have been diagnosed in Region 4, including 8 pediatric cases.
- 590 persons are currently living with AIDS in Region 4.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	218	97	315	53 %
20 - 24	10	2 %	White, Non-Hispanic	226	32	258	44 %
25 - 29	24	4 %	Hispanic	15	0	15	3 %
30 - 34	46	8 %	Asian/Pacific Islander	1	0	1	<1 %
35 - 39	76	13 %	Multi-race	1	0	1	<1 %
40 - 44	167	28 %	TOTAL	461	129	590	100 %
45 - 49	114	19 %					
50 - 54	96	16 %					
55 - 59	32	5 %					
60+	23	4 %					
Total	590	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	209	0	209	52 %
Injection drug use	49	15	64	16 %
Men who have sex with men and inject drugs	30	0	30	7 %
Heterosexual contact	27	65	92	23 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	1	3	4	1 %
Total	319	84	403	100 %
<i>No Identified Risk</i>	142	45	187	

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region****HIV CASES DIAGNOSED January - December 2005**

- 82 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	60	73 %	Black, Non-Hispanic	55	67 %
Women	22	27 %	White, Non-Hispanic	26	32 %
Total	82	100 %	American Indian	1	1 %
			Total	82	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	15	18 %	Men who have sex with men	29	64 %
25 - 34	20	24 %	Injection drug use	5	11 %
35 - 44	22	27 %	Heterosexual contact	11	24 %
45+	25	30 %	Total	45	100 %
Total	82	100 %	<i>No Identified Risk</i>	37	

AIDS CASES DIAGNOSED January - December 2005

- 65 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	47	72 %	Black, Non-Hispanic	41	63 %
Women	18	28 %	White, Non-Hispanic	23	35 %
Total	65	100 %	Hispanic	1	2 %
			Total	65	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	4	6 %	Men who have sex with men	19	49 %
25 - 34	8	12 %	Injection drug use	4	10 %
35 - 44	26	40 %	Men who have sex with men and inject drugs	1	3 %
45+	27	42 %	Heterosexual contact	15	38 %
Total	65	100 %	Total	39	100 %
			<i>No Identified Risk</i>	26	

Persons Living with HIV/AIDS

Region 5: Lake Charles Region

- 1023 cumulative cases have been detected in Region 5, including 8 pediatric cases.
- 383 cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including 1 pediatric deaths.
- 816 persons are currently living with HIV/AIDS in Region 5.
 Persons living with HIV: 383
 Persons living with AIDS: 433

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	1 %	Black, Non-Hispanic	355	127	482	59 %
13 - 19	13	2 %	White, Non-Hispanic	204	44	248	30 %
20 - 24	25	3 %	Hispanic	74	1	75	9 %
25 - 29	68	8 %	Asian/Pacific Islander	5	0	5	1 %
30 - 34	93	11 %	American Indian	2	0	2	<1 %
35 - 39	135	17 %	Unknown	2	1	3	<1 %
40 - 44	184	23 %	Multi-race	1	0	1	<1 %
45 - 49	155	19 %	Total	643	173	816	100 %
50 - 54	80	10 %					
55 - 59	25	3 %					
60+	33	4 %					
Total	816	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	240	0	240	42 %
Injection drug use	97	25	122	21 %
Men who have sex with men and inject drugs	65	0	65	11 %
Heterosexual contact	67	69	136	24 %
Transfusion/Hemophilia	5	1	6	1 %
Perinatal	3	5	8	1 %
Total	477	100	577	100 %
<i>No Identified Risk</i>	<i>166</i>	<i>73</i>	<i>239</i>	

Persons Living with AIDS
Region 5: Lake Charles Region

- 682 cumulative AIDS cases have been diagnosed in Region 5, including 3 pediatric cases.
- 433 persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	198	53	251	58 %
13 - 19	5	1 %	White, Non-Hispanic	124	21	145	33 %
20 - 24	9	2 %	Hispanic	34	0	34	8 %
25 - 29	22	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	34	8 %	Multi-race	1	0	1	<1 %
35 - 39	77	18 %	TOTAL	359	74	433	100 %
40 - 44	112	26 %					
45 - 49	91	21 %					
50 - 54	47	11 %					
55 - 59	18	4 %					
60+	17	4 %					
Total	433	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	146	0	146	44 %
Injection drug use	60	18	78	23 %
Men who have sex with men and inject drugs	40	0	40	12 %
Heterosexual contact	33	29	62	19 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	2	1	3	1 %
Total	283	49	332	100 %
<i>No Identified Risk</i>	76	25	101	

Persons Newly Diagnosed with HIV/AIDS**Region 5: Lake Charles Region****HIV CASES DIAGNOSED January - December 2005**

- 48 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	29	60 %	Black, Non-Hispanic	28	58 %
Women	19	40 %	White, Non-Hispanic	15	31 %
Total	48	100 %	Hispanic	4	8 %
			Unknown	1	2 %
			Total	48	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	9	19 %	Men who have sex with men	11	50 %
25 - 34	17	35 %	Injection drug use	4	18 %
35 - 44	12	25 %	Men who have sex with men and inject drugs	2	9 %
45+	10	21 %	Heterosexual contact	5	23 %
Total	48	100 %	Total	22	100 %
			<i>No Identified Risk</i>	26	

AIDS CASES DIAGNOSED January - December 2005

- 39 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	28	72 %	Black, Non-Hispanic	25	64 %
Women	11	28 %	White, Non-Hispanic	12	31 %
Total	39	100 %	Hispanic	2	5 %
			Total	39	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	4	10 %	Men who have sex with men	11	44 %
25 - 34	15	38 %	Injection drug use	5	20 %
35 - 44	11	28 %	Men who have sex with men and inject drugs	2	8 %
45+	9	23 %	Heterosexual contact	7	28 %
Total	39	100 %	Total	25	100 %
			<i>No Identified Risk</i>	14	

Persons Living with HIV/AIDS**Region 6: Alexandria Region**

- 1072 cumulative cases have been detected in Region 6, including 13 pediatric cases.
- 371 cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including 4 pediatric deaths.
- 748 persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: 382
Persons living with AIDS: 366

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	358	156	514	69 %
13 - 19	5	1 %	White, Non-Hispanic	155	44	199	27 %
20 - 24	26	3 %	Hispanic	31	2	33	4 %
25 - 29	84	11 %	American Indian	0	1	1	<1 %
30 - 34	89	12 %	Multi-race	1	0	1	<1 %
35 - 39	134	18 %	Total	545	203	748	100 %
40 - 44	147	20 %					
45 - 49	122	16 %					
50 - 54	77	10 %					
55 - 59	39	5 %					
60+	23	3 %					
Total	748	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	186	0	186	38 %
Injection drug use	69	31	100	21 %
Men who have sex with men and inject drugs	58	0	58	12 %
Heterosexual contact	48	76	124	26 %
Transfusion/Hemophilia	9	1	10	2 %
Perinatal	4	2	6	1 %
Total	374	110	484	100 %
<i>No Identified Risk</i>	<i>170</i>	<i>93</i>	<i>263</i>	

Persons Living with AIDS
Region 6: Alexandria Region

- 642 cumulative AIDS cases have been diagnosed in Region 6, including 4 pediatric cases.
- 366 persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
20 - 24	5	1 %	Black, Non-Hispanic	172	63	235	64 %
25 - 29	21	6 %	White, Non-Hispanic	96	25	121	33 %
30 - 34	31	8 %	Hispanic	8	1	9	2 %
35 - 39	73	20 %	Multi-race	1	0	1	<1 %
40 - 44	78	21 %	TOTAL	277	89	366	100 %
45 - 49	76	21 %					
50 - 54	44	12 %					
55 - 59	22	6 %					
60+	16	4 %					
Total	366	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	103	0	103	40 %
Injection drug use	31	17	48	19 %
Men who have sex with men and inject drugs	40	0	40	16 %
Heterosexual contact	22	35	57	22 %
Transfusion/Hemophilia	6	0	6	2 %
Perinatal	1	1	2	1 %
Total	203	53	256	100 %
<i>No Identified Risk</i>	73	36	109	

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region****HIV CASES DIAGNOSED January - December 2005**

- 46 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	34	74 %	Black, Non-Hispanic	31	67 %
Women	12	26 %	White, Non-Hispanic	14	30 %
Total	46	100 %	Hispanic	1	2 %
			Total	46	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	4	9 %	Men who have sex with men	16	59 %
25 - 34	19	41 %	Injection drug use	3	11 %
35 - 44	10	22 %	Men who have sex with men and inject drugs	2	7 %
45+	13	28 %	Heterosexual contact	6	22 %
Total	46	100 %	Total	27	100 %
			<i>No Identified Risk</i>	<i>19</i>	

AIDS CASES DIAGNOSED January - December 2005

- 35 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	26	74 %	Black, Non-Hispanic	26	74 %
Women	9	26 %	White, Non-Hispanic	9	26 %
Total	35	100 %	Total	35	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	1	3 %	Men who have sex with men	11	50 %
25 - 34	9	26 %	Injection drug use	6	27 %
35 - 44	11	31 %	Men who have sex with men and inject drugs	2	9 %
45+	14	40 %	Heterosexual contact	3	14 %
Total	35	100 %	Total	22	100 %
			<i>No Identified Risk</i>	<i>13</i>	

Persons Living with HIV/AIDS

Region 7: Shreveport Region

- 1583 cumulative cases have been detected in Region 7, including 26 pediatric cases.
- 672 cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including 10 pediatric deaths.
- 1187 persons are currently living with HIV/AIDS in Region 7.
 Persons living with HIV: 525
 Persons living with AIDS: 662

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	10	1 %	Black, Non-Hispanic	563	237	800	67 %
13 - 19	12	1 %	White, Non-Hispanic	305	68	373	31 %
20 - 24	52	4 %	Hispanic	6	5	11	1 %
25 - 29	119	10 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	142	12 %	American Indian	2	0	2	<1 %
35 - 39	201	17 %	Total	877	310	1187	100 %
40 - 44	244	21 %					
45 - 49	181	15 %					
50 - 54	117	10 %					
55 - 59	61	5 %					
60+	48	4 %					
Total	1187	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	418	0	418	49 %
Injection drug use	77	44	121	14 %
Men who have sex with men and inject drugs	105	0	105	12 %
Heterosexual contact	65	125	190	22 %
Transfusion/Hemophilia	6	4	10	1 %
Perinatal	8	7	15	2 %
Total	679	180	859	100 %
<i>No Identified Risk</i>	197	130	327	

Persons Living with AIDS
Region 7: Shreveport Region

- 1057 cumulative AIDS cases have been diagnosed in Region 7, including 17 pediatric cases.
- 662 persons are currently living with AIDS in Region 7.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	339	119	458	69 %
13 - 19	6	1 %	White, Non-Hispanic	171	27	198	30 %
20 - 24	17	3 %	Hispanic	3	2	5	1 %
25 - 29	39	6 %	American Indian	1	0	1	<1 %
30 - 34	69	10 %	TOTAL	514	148	662	100 %
35 - 39	118	18 %					
40 - 44	145	22 %					
45 - 49	120	18 %					
50 - 54	76	11 %					
55 - 59	42	6 %					
60+	27	4 %					
Total	662	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	232	0	232	46 %
Injection drug use	51	24	75	15 %
Men who have sex with men and inject drugs	70	0	70	14 %
Heterosexual contact	47	69	116	23 %
Transfusion/Hemophilia	4	3	7	1 %
Perinatal	3	4	7	1 %
Total	407	100	507	100 %
<i>No Identified Risk</i>	107	48	155	

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region****HIV CASES DIAGNOSED January - December 2005**

- 75 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	57	76 %	Black, Non-Hispanic	58	77 %
Women	18	24 %	White, Non-Hispanic	17	23 %
Total	75	100 %	Total	75	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	28	80 %
13 - 24	13	17 %	Injection drug use	2	6 %
25 - 34	23	31 %	Heterosexual contact	4	11 %
35 - 44	20	27 %	Perinatal	1	3 %
45+	18	24 %	Total	35	100 %
Total	75	100 %	<i>No Identified Risk</i>	<i>40</i>	

AIDS CASES DIAGNOSED January - December 2005

- 74 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	53	72 %	Black, Non-Hispanic	59	80 %
Women	21	28 %	White, Non-Hispanic	15	20 %
Total	74	100 %	Total	74	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	7	9 %	Men who have sex with men	19	48 %
25 - 34	27	36 %	Injection drug use	9	22 %
35 - 44	24	32 %	Men who have sex with men and inject drugs	4	10 %
45+	16	22 %	Heterosexual contact	8	20 %
Total	74	100 %	Total	40	100 %
			<i>No Identified Risk</i>	<i>34</i>	

Persons Living with HIV/AIDS

Region 8: Monroe Region

- 1214 cumulative cases have been detected in Region 8, including 14 pediatric cases.
- 482 cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including 4 pediatric deaths.
- 788 persons are currently living with HIV/AIDS in Region 8.
 Persons living with HIV: 388
 Persons living with AIDS: 400

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	9	1 %	Black, Non-Hispanic	365	244	609	77 %
13 - 19	5	1 %	White, Non-Hispanic	123	40	163	21 %
20 - 24	39	5 %	Hispanic	7	2	9	1 %
25 - 29	95	12 %	Asian/Pacific Islander	0	1	1	<1 %
30 - 34	94	12 %	American Indian	1	1	2	<1 %
35 - 39	109	14 %	Unknown	1	2	3	<1 %
40 - 44	152	19 %	Multi-race	0	1	1	<1 %
45 - 49	118	15 %	Total	497	291	788	100 %
50 - 54	92	12 %					
55 - 59	43	5 %					
60+	32	4 %					
Total	788	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	200	0	200	40 %
Injection drug use	42	24	66	13 %
Men who have sex with men and inject drugs	39	0	39	8 %
Heterosexual contact	53	125	178	35 %
Transfusion/Hemophilia	3	5	8	2 %
Perinatal	6	5	11	2 %
Total	343	159	502	100 %
<i>No Identified Risk</i>	154	129	283	

Persons Living with AIDS**Region 8: Monroe Region**

- 776 cumulative AIDS cases have been diagnosed in Region 8, including 7 pediatric cases.
- 400 persons are currently living with AIDS in Region 8.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	203	97	300	75 %
20 - 24	10	2 %	White, Non-Hispanic	72	19	91	23 %
25 - 29	25	6 %	Hispanic	5	2	7	2 %
30 - 34	50	12 %	Asian/Pacific Islander	0	1	1	<1 %
35 - 39	62	16 %	American Indian	1	0	1	<1 %
40 - 44	81	20 %	TOTAL	281	119	400	100 %
45 - 49	70	18 %					
50 - 54	53	13 %					
55 - 59	27	7 %					
60+	20	5 %					
Total	400	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	113	0	113	41 %
Injection drug use	25	14	39	14 %
Men who have sex with men and inject drugs	27	0	27	10 %
Heterosexual contact	31	57	88	32 %
Transfusion/Hemophilia	2	3	5	2 %
Perinatal	3	0	3	1 %
Total	201	74	275	100 %
<i>No Identified Risk</i>	80	45	125	

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region****HIV CASES DIAGNOSED January - December 2005**

- 63 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	44	70 %	Black, Non-Hispanic	53	84 %
Women	19	30 %	White, Non-Hispanic	7	11 %
Total	63	100 %	Hispanic	2	3 %
			Multi-race	1	2 %
			Total	63	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	18	58 %
13 - 24	12	19 %	Heterosexual contact	12	39 %
25 - 34	10	16 %	Perinatal	1	3 %
35 - 44	22	35 %	Total	31	100 %
45+	18	29 %	<i>No Identified Risk</i>	32	
Total	63	100 %			

AIDS CASES DIAGNOSED January - December 2005

- 55 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	43	78 %	Black, Non-Hispanic	47	85 %
Women	12	22 %	White, Non-Hispanic	6	11 %
Total	55	100 %	Hispanic	2	4 %
			Total	55	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	13	42 %
13 - 24	4	7 %	Injection drug use	5	16 %
25 - 34	13	24 %	Men who have sex with men and inject drugs	1	3 %
35 - 44	18	33 %	Heterosexual contact	11	35 %
45+	19	35 %	Perinatal	1	3 %
Total	55	100 %	Total	31	100 %
			<i>No Identified Risk</i>	24	

**Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region**

- 1048 cumulative cases have been detected in Region 9, including 12 pediatric cases.
- 432 cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including 3 pediatric deaths.
- 755 persons are currently living with HIV/AIDS in Region 9.
Persons living with HIV: 342
Persons living with AIDS: 413

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	6	1 %	Black, Non-Hispanic	246	105	351	46 %
13 - 19	5	1 %	White, Non-Hispanic	302	81	383	51 %
20 - 24	23	3 %	Hispanic	17	0	17	2 %
25 - 29	40	5 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	73	10 %	Unknown	1	0	1	<1 %
35 - 39	129	17 %	Multi-race	2	0	2	<1 %
40 - 44	156	21 %	Total	569	186	755	100 %
45 - 49	154	20 %					
50 - 54	83	11 %					
55 - 59	52	7 %					
60+	34	5 %					
Total	755	100 %					

<u>Exposure Category</u>				Men	Women	Total	Percent
Cases with a reported risk:							
Men who have sex with men				248	0	248	47 %
Injection drug use				74	38	112	21 %
Men who have sex with men and inject drugs				52	0	52	10 %
Heterosexual contact				31	63	94	18 %
Transfusion/Hemophilia				8	2	10	2 %
Perinatal				9	4	13	2 %
Total				422	107	529	100 %
<i>No Identified Risk</i>	<i>146</i>	<i>79</i>	<i>225</i>				

Persons Living with AIDS
Region 9: Hammond/Slidell Region

- 711 cumulative AIDS cases have been diagnosed in Region 9, including 5 pediatric cases.
- 413 persons are currently living with AIDS in Region 9.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	2	<1 %	Black, Non-Hispanic	142	42	184	45 %
20 - 24	5	1 %	White, Non-Hispanic	181	38	219	53 %
25 - 29	14	3 %	Hispanic	8	0	8	2 %
30 - 34	34	8 %	Asian/Pacific Islander	1	0	1	<1 %
35 - 39	64	15 %	Multi-race	1	0	1	<1 %
40 - 44	95	23 %	TOTAL	333	80	413	100 %
45 - 49	97	23 %					
50 - 54	46	11 %					
55 - 59	33	8 %					
60+	23	6 %					
Total	413	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	145	0	145	46 %
Injection drug use	49	21	70	22 %
Men who have sex with men and inject drugs	38	0	38	12 %
Heterosexual contact	16	32	48	15 %
Transfusion/Hemophilia	7	2	9	3 %
Perinatal	3	1	4	1 %
Total	258	56	314	100 %
<i>No Identified Risk</i>	75	24	99	

Persons Newly Diagnosed with HIV/AIDS

Region 9: Hammond/Slidell Region

HIV CASES DIAGNOSED January - December 2005

• 58 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	41	71 %	Black, Non-Hispanic	35	60 %
Women	17	29 %	White, Non-Hispanic	21	36 %
Total	58	100 %	Hispanic	1	2 %
			Multi-race	1	2 %
			Total	58	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	2 %	Men who have sex with men	19	56 %
13 - 24	9	16 %	Injection drug use	6	18 %
25 - 34	15	26 %	Heterosexual contact	8	24 %
35 - 44	15	26 %	Perinatal	1	3 %
45+	18	31 %	Total	34	100 %
Total	58	100 %	<i>No Identified Risk</i>	<i>24</i>	

AIDS CASES DIAGNOSED January - December 2005

• 43 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	36	84 %	Black, Non-Hispanic	27	63 %
Women	7	16 %	White, Non-Hispanic	14	33 %
Total	43	100 %	Hispanic	1	2 %
			Multi-race	1	2 %
			Total	43	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	3	7 %	Men who have sex with men	6	24 %
25 - 34	11	26 %	Injection drug use	11	44 %
35 - 44	14	33 %	Men who have sex with men and inject drugs	4	16 %
45+	15	35 %	Heterosexual contact	3	12 %
			Transfusion/Hemophilia	1	4 %
Total	43	100 %	Total	25	100 %
			<i>No Identified Risk</i>	<i>18</i>	

**Persons Living with HIV/AIDS
Region 1 - excluding Orleans Parish**

Jefferson, Plaquemines and St. Bernard Parishes

- 2430 cumulative cases have been detected in Region 1 excluding Orleans Parish, including 20 pediatric cases.
- 1030 cumulative deaths among persons with HIV/AIDS have occurred in Region 1 excluding Orleans Parish, including 6 pediatric deaths
- 1370 persons are currently living with HIV/AIDS in Region 1 excluding Orleans Parish.
Persons living with HIV: 686
Persons living with AIDS: 684

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	396	275	671	49 %
13 - 19	8	1 %	White, Non-Hispanic	496	83	579	42 %
20 - 24	40	3 %	Hispanic	71	35	106	8 %
25 - 29	96	7 %	Asian/Pacific Islander	3	2	5	<1 %
30 - 34	150	11 %	American Indian	1	0	1	<1 %
35 - 39	212	15 %	Unknown	2	4	6	<1 %
40 - 44	290	21 %	Multi-race	1	1	2	<1 %
45 - 49	253	18 %	Total	970	400	1370	100 %
50 - 54	161	12 %					
55 - 59	80	6 %					
60+	76	6 %					
Total	1370	100 %					

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	458	0	458	53 %
Injection drug use	71	52	123	14 %
Men who have sex with men and inject drugs	62	0	62	7 %
Heterosexual contact	47	141	188	22 %
Transfusion/Hemophilia	10	8	18	2 %
Perinatal	4	5	9	1 %
Total	652	206	858	100 %
<i>No Identified Risk</i>	<i>318</i>	<i>194</i>	<i>512</i>	

Persons Living with AIDS**Region 1 - excluding Orleans Parish**

Jefferson, Plaquemines and St. Bernard Parishes

- 1622 cumulative AIDS cases have been diagnosed in Region 1 excluding Orleans Parish, including 8 pediatric cases.
- 684 persons are currently living with AIDS in Region 1 excluding Orleans Parish.

Age Category

Current Age	Cases	Percent
13 - 19	3	<1 %
20 - 24	7	1 %
25 - 29	26	4 %
30 - 34	62	9 %
35 - 39	90	13 %
40 - 44	163	24 %
45 - 49	149	22 %
50 - 54	98	14 %
55 - 59	44	6 %
60+	42	6 %
Total	684	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	211	117	328	48 %
White, Non-Hispanic	254	35	289	42 %
Hispanic	43	18	61	9 %
Asian/Pacific Islander	2	1	3	<1 %
Unknown	0	1	1	<1 %
Multi-race	1	1	2	<1 %
Total	511	173	684	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	253	0	253	54 %
Injection drug use	44	29	73	16 %
Men who have sex with men and inject drugs	40	0	40	9 %
Heterosexual contact	27	63	90	19 %
Transfusion/Hemophilia	7	4	11	2 %
Perinatal	1	1	2	<1 %
Total	372	97	469	100 %
<i>No Identified Risk</i>	<i>139</i>	<i>76</i>	<i>215</i>	

Persons Newly Diagnosed with HIV/AIDS

Region 1 - excluding Orleans Parish

Jefferson, Plaquemines and St. Bernard Parishes

HIV CASES DIAGNOSED January - December 2005

• 88 persons were newly diagnosed with HIV in Region 1 excluding Orleans Parish.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	58	66 %	Black, Non-Hispanic	43	49 %
Women	30	34 %	White, Non-Hispanic	32	36 %
Total	88	100 %	Hispanic	8	9 %
			Unknown	3	3 %
			Multi-race	2	2 %
			Total	88	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	19	22 %	Men who have sex with men	21	60 %
25 - 34	21	24 %	Injection drug use	3	9 %
35 - 44	27	31 %	Men who have sex with men and inject drugs	2	6 %
45+	21	24 %	Heterosexual contact	9	26 %
Total	88	100 %	Total	35	100 %
			<i>No Identified Risk</i>	53	

AIDS CASES DIAGNOSED January - December 2005

• 65 persons were newly diagnosed with AIDS in the Region 1 excluding Orleans Parish.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	44	68 %	Black, Non-Hispanic	34	52 %
Women	21	32 %	White, Non-Hispanic	23	35 %
Total	65	100 %	Hispanic	7	11 %
			Multi-race	1	2 %
			Total	65	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	8	12 %	Men who have sex with men	19	58 %
25 - 34	16	25 %	Injection drug use	5	15 %
35 - 44	26	40 %	Men who have sex with men and inject drugs	2	6 %
45+	15	23 %	Heterosexual contact	7	21 %
Total	65	100 %	Total	33	100 %
			<i>No Identified Risk</i>	32	

Persons Living with HIV/AIDS

Region 1 - Orleans Parish Only

- 9815 cumulative cases have been detected in Orleans Parish, including 107 pediatric cases.
- 4189 cumulative deaths among persons with HIV/AIDS have occurred in Orleans Parish, including 39 pediatric deaths
- 4138 persons are currently living with HIV/AIDS in Orleans Parish.
 Persons living with HIV: 2135
 Persons living with AIDS: 2003

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	21	1 %	Black, Non-Hispanic	4138	4138	8276	12 %
13 - 19	27	1 %	White, Non-Hispanic	4138	4138	8276	12 %
20 - 24	125	3 %	Hispanic	4138	4138	8276	12 %
25 - 29	289	7 %	Asian/Pacific Islander	4138	4138	8276	12 %
30 - 34	453	11 %	American Indian	4138	4138	8276	12 %
35 - 39	592	14 %	Unknown	8276	8276	16552	25 %
40 - 44	783	19 %	Multi-race	4138	4138	8276	12 %
45 - 49	754	18 %					
			Total	33104	33104	66208	100 %
50 - 54	527	13 %					
55 - 59	309	7 %					
60+	258	6 %					
Total	4138	100 %					

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1512	0	1512	57 %
Injection drug use	264	144	408	15 %
Men who have sex with men and inject drugs	229	0	229	9 %
Heterosexual contact	137	303	440	17 %
Transfusion/Hemophilia	21	10	31	1 %
Perinatal	17	17	34	1 %
Total	2180	474	2654	100 %
<i>No Identified Risk</i>	965	519	1484	

**Persons Living with AIDS
Region 1 - Orleans Parish Only**

- 6605 cumulative AIDS cases have been diagnosed in Orleans Parish, including 51 pediatric cases.
- 2003 persons are currently living with AIDS in Orleans Parish.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	7	<1 %	Black, Non-Hispanic	812	368	1180	59 %
13 - 19	6	<1 %	White, Non-Hispanic	707	33	740	37 %
20 - 24	28	1 %	Hispanic	58	7	65	3 %
25 - 29	72	4 %	Asian/Pacific Islander	8	2	10	<1 %
30 - 34	153	8 %	American Indian	2	0	2	<1 %
35 - 39	258	13 %	Unknown	3	0	3	<1 %
40 - 44	417	21 %	Multi-race	2	1	3	<1 %
45 - 49	426	21 %	Total	1592	411	2003	100 %
50 - 54	300	15 %					
55 - 59	184	9 %					
60+	152	8 %					
Total	2003	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	841	0	841	59 %
Injection drug use	141	69	210	15 %
Men who have sex with men and inject drugs	136	0	136	9 %
Heterosexual contact	71	149	220	15 %
Transfusion/Hemophilia	14	5	19	1 %
Perinatal	5	6	11	1 %
Total	1208	229	1437	100 %
<i>No Identified Risk</i>	384	182	566	

Persons Newly Diagnosed with HIV/AIDS

Region 1 - Orleans Parish Only

HIV CASES DIAGNOSED January - December 2005

• 238 persons were newly diagnosed with HIV in Orleans Parish.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	155	65 %	Black, Non-Hispanic	175	74 %
Women	83	35 %	White, Non-Hispanic	48	20 %
Total	238	100 %	Hispanic	9	4 %
			Asian/Pacific Islander	2	1 %
			Unknown	2	1 %
			Multi-race	2	1 %
			Total	238	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	63	52 %
13 - 24	45	19 %	Injection drug use	14	11 %
25 - 34	52	22 %	Men who have sex with men and inject drugs	9	7 %
35 - 44	74	31 %	Heterosexual contact	34	28 %
45+	65	27 %	Perinatal	2	2 %
Total	238	100 %	Total	122	100 %
			<i>No Identified Risk</i>	<i>116</i>	

AIDS CASES DIAGNOSED January - December 2005

• 191 persons were newly diagnosed with AIDS in Orleans Parish.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	131	69 %	Black, Non-Hispanic	143	75 %
Women	60	31 %	White, Non-Hispanic	44	23 %
Total	191	100 %	Hispanic	1	1 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	1 %
			Total	191	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	13	7 %	Men who have sex with men	57	48 %
25 - 34	41	21 %	Injection drug use	15	13 %
35 - 44	77	40 %	Men who have sex with men and inject drugs	12	10 %
45+	60	31 %	Heterosexual contact	32	27 %
Total	191	100 %	Transfusion/Hemophilia	2	2 %
			Total	118	100 %
			<i>No Identified Risk</i>	<i>73</i>	